McNAUGHTANS

BUS, CANOPY, CARAVAN & TRAILER COMPONENTS

CATALOGUE



2020 DOWNLOAD **EDITION**

SISTER COMPANIES

SA BRANCHES



McNaughtans Johannesburg

17 Vereeniging Road
Alrode, Alberton,
Gauteng
South Africa

Tel: +27 (0) 11 334 1630
Email: salesjhb@mcnaughtan.co.za

McNaughtans Durban

12 Blair Road
Pinetown
3620
KwaZulu Natal
South Africa

Tel: +27 (0) 31 701 5085 / 702 2244
Email: salesptn@mcnaughtan.co.za

McNaughtans Cape Town

35 Fairbairn Street
Parow East
Cape Town
Western Cape
South Africa

Tel: +27 (0) 21 939 0021 / +27 (0) 21-825 6900
Email: salescpt@mcnaughtan.co.za

McNaughtans Empangeni

6 Lood Avenue
Empangeni
KwaZulu Natal
South Africa

Tel: +27 (0) 35 787 0212/3/4/5
Email: salesemp@mcnaughtan.co.za

WALTER McNAUGHTANS

McNaughtan's is a diversified South African company, specialising in the manufacture and distribution of:

1. Bus Accessories (Locks, Lamps, Flooring, Seats etc.).
2. Truck components (Hinges, Door locking sets, Catches, Fasteners, Lashing rings, T locks, Paddle locks, Cargo equipment, Corner castings etc).
3. Trailer Equipment (Winches, Jockey Wheels, etc).
4. Paint and Abrasives (Automotive paints and abrasives).
5. High-quality fiber-reinforced plastic flatsheets (GRP).
6. Gas stays, struts for automotive, marine, industrial & medical sectors.
7. Many various components to suit a wide variety of sectors, i.e. Military, Engineering, Enclosure, HVAC, Building & Mobile Homes, Construction & Road Products, etc.

We take pride in being one of the largest national suppliers of aftermarket components for over 50 years in the South African market. We purchase our products from all around the world, but the business has established exceptionally strong links in China where we have set up representative offices and factories.

SHARED VALUES

Accountability
Achievement and contribution
Care and respect
Efficiency
Ethics
Experience
Integrity
Meaningful innovation
Passion for customers
Results through teamwork

BUSINESS OBJECTIVES

Customer relationships and loyalty
Profit
Growth – market & products
Market leadership
Commitment to employees



TABLE OF CONTENTS

ALUMINIUM EXTRUSIONS	5 - 9
ALUMINIUM INSERTS	9
BONNET FASTENERS	10
BOOT SUPPORT	10
BODY SPRINGS	11
CURTAIN TENSIONERS	11
CARGO RESTRAINTS	12 - 13
CARGO RESTRAINT - MEAT HOOKS & STORAGE	14
CONTAINER DOOR LOCKS	15 - 16
COUPLERS	16
CARAVAN & CAMPER COMPONENTS	17 - 18
DOOR BRUSH STRIPS	19
DOOR CHECK STRAPS	19
DOOR RETAINERS	20
DRIVERS BLINDS	20
DOUBLE SIDED TAPE	21
FUEL FILLER NECKS & CAPS	21 - 22
FASTENERS - ANTILUCE	23
FASTENERS - SPRING BOLTS	23
FASTENERS - THROW OVER CATCHES	24
FASTENERS - FLOOR BOARD FASTENERS	25
FASTENERS - R-CLIPS	25
FASTENERS - DROP SIDE FASTENERS	25
FLOORING	26
GAS STRUTS	27
GAS STRUT - END FITTINGS	28
GSF TILT SLIDE SYSTEM	29
GRP PANELS + BUILD YOUR PANEL	*30 - 33*
GRP SKINS (LAMILUX COILS)	34 - 37
HIGH PRESSURE LAMINATE (INFINITO)	38 - 39
HANDLES - EXTERNAL	40
HANDLES - GRAB	41
HANDLES - INTERIOR	42
HANDLES - RECESS GRIP	42
HANDLES - HANGING STRAPS	42
HATCHES - ESCAPE	43
HEATERS & BLOWERS	43
HANDRAILS - BRACKETS & TUBES	44
HANDRAILS - PUSH BUTTONS	44
HINGES - CANOPY DOOR HINGES	45 - 47
HINGES - CABINET DOOR & BUTT HINGES	47 - 48
HINGES - CONTINUOUS (PIANO) HINGES	48
HINGES - LUGGAGE & BONNET HINGES	48
HINGES - DROPSIDE HINGES	49
HINGES - TRUCK REAR DOOR HINGES	49 - 50
HINGES - LATERAL PROTECTION BAR	51
HINGES - VAN DOOR HINGES	51
JOCKEY WHEELS & TAILER COMPONENTS	52

TABLE OF CONTENTS

LAMPS - CANOPY BRAKE LIGHTS	53
LAMPS - HEAD LAMPS	53
LAMPS - NUMBER PLATE LAMPS	53
LAMPS - INTERIOR	54 - 55
LAMPS - WARNING LAMPS	55
LAMPS - MARKER LAMPS	55 - 57
LAMPS - TAIL LAMPS & TRUCK LAMP	57 - 59
LAMPS - BRACKETS	60
LAMPS - WORK LAMPS	60
LASHING RINGS	61
LICENSE DISK HOLDERS	61
LOCKS - 2 WAY REAR DOOR LOCKS & ENDS	61
LOCKS - ESCUTCHEONS	62
LOCKS - BUDGET LOCKS	62
LOCKS - PRESSURE LATCHES	63 - 66
LOCKS - DOOR LOCKS & SETS	67 - 71
LOCKS - PADDLE HANDLE LOCKS	72
LOCKS - QUARTER TURN LATCHES	73 - 74
LOCKS - COMPRESSION WING KNOBS	75
LOCKS - SWING HANDLES	76
LOCKS - CUBBY HOLE	77
LOCKS - CAB DOOR SLAM CATCHES	77 - 78
LOUVRES	78
MAGAZINE NETS	79
MIRROR - MIRROR ARMS	79
MIRRORS - INTERIOR & EXTERIOR	80
NUMBER PLATE HOLDERS	80
MUD FLAPS & GUARDS	81
PVC - EDGE CAPPING	82
ROLLER DOOR COMPONENTS	83
REFLECTIVE & WARNING PRODUCTS	84 - 85
ROAD STUDS	86
RUBBER - DOOR SEALS & TRIMS	87 - 90
RUBBER - GLAZING RUBBER	91
RUBBER - MOUNTING BRACKETS	92
RUBBER - SELF ADHESIVE SPONGE RUBBER	93
RUBBER - INSERTION RUBBER	93
RUBBER - STOPS & MOUNTINGS	93 - 94
STEP LADDER	94
SEATS & ACCESSORIES	94
SAFETY BELTS	95
SEALANTS - TEROSON, SOUDAL & SIKAFLEX	96 - 101
TRUCK-LINK COMPONENTS (SUZI CONNECTORS)	102 - 103
TOOL BOXES	104 - 105
VENTILATORS	106 - 107
WINCHES	107
WIPER MOTORS, BLADES & WASHER BOTTLES	108
WHEEL TRIMS	109
WHEEL CHOCKS	109



19mm Half Round

Part Number: P169



25mm Half Round

Part Number: P168



38mm Half Round

Part Number: P2090



Body Side Panel Cover Mould - 7m Lengths

Part Number: 57.76303-2000



25 x 3mm Flat Bar Beading

Part Number: P10115



Angle Trim

Part Number: P505



25x25mm Angle Corner Trim

Part Number: 18308

Black

Part Number: 577



22.22 x 9.52mm Angle Corner Trim

Part Number: 15042

Black

Part Number: 15042B



Table Edge Beading

Part Number: P204



2 Groove Table Edge Beading

Part Number: P27



T Section

Part Number: P1156



Rectangular Tube Beading

Part Number: P3115



Meat Hook Track

Part Number: 0051356/7



U-Channel Beading

Part Number: 16923



C-Channel Beading

Part Number: P011



C-Channel Beading

Part Number: 282



Door Edge Channel - 2.5m Length

Part Number: P18929



Door Edge Channel

Part Number: P44820



Door Channel

Part Number: H13079



Door Channel

Part Number: 53487



Luggage Door Rail

Part Number: H13077



Bus Light Rail

Part Number: HS13078



Bus Runner Rail

Part Number: 53488



Small End Panel

Part Number: P2182



Broad End Panel

Part Number: A25772



45deg Centre Panel

Part Number: 51410



Broad Centre Panel

Part Number: A25773



Busaf Gutter Mould

Part Number: P18079



Gutter Mould

Part Number: P1953



Small J Gutter Mould

Part Number: P90



Bonded Window Alu Profile - 6m Length

Part Number: 53724



Wheel Arch Mould

Part Number: PH122



33mm Waist Mould

Part Number: P1951



Broad Wasit Mould - 43.5mm

Part Number: P24068



Step Edge Beading

Part Number: P276AO



Round Nose Step Edge

Part Number: P34997



Reflective Tape Beading

Part Number: 46385



Truck Body Corner Beading - 6m Length

Part Number: P12797



Truck Corner Floor Beading - 6m Length

Part Number: P12798

ALUMINIUM EXTRUSIONS

LED STEP EDGE BEADING WITH LED STRIP LIGHT





Aluminium Step Edge Beading

Part Number: P276M



PVC Cover For P276M

Part Number: PVC1201

ALUMINIUM INSERTS



Cool White LED (24V)- 5m Length

Part Number: JE-3528P-CW-24V



Blue LED Strip Light (24V) - 5m Length

Part Number: JE-3528P-B-24V



Yellow Insert For Step Beading

Part Number: P2761Y



Black Insert For Step Beading

Part Number: P2761B



Navy Blue Insert For Step Beading

Part Number: P2761NB



Small Black PVC Insert - Narrow

Part Number: 3613

Aluminium To Suit - P1951



Large Black PVC Insert - Broad

Part Number: 3613/1



Broad Rubber Waste Mould Cover

Part Number: D678

Aluminium To Suit - P24068



Retaining Knob - Seperate

Part Number: 187



63mm Bonnet Fastener Small - Hard Rubber

Part Number: 5301



127mm Bonnet Fastener Large - Hard Rubber

Part Number: 602-0023

BONNET FASTENERS



Chrome Spring Loaded Catch - 85mm

Part Number: SW351C



Black Spring Loaded Catch - 85mm

Part Number: SW351B



535mm Ratchet Boot Support with End Fittings

Part Number: 7/3099



Cover Stay / Boot Support - RHS

Part Number: 552802

Cover Stay / Boot Support - LHS

Part Number: 552803



Folding Table Leg Bracket

Part Number: 290

BOOT SUPPORT

BODY SPRINGS



8 x 80 x 34mm Body Spring

Part Number: S.BS

8 x 35 x 60mm Body Spring

Part Number: BS8



10 x 126 x 48mm Body Spring

Part Number: M.BS

10 x 130 x 60mm Body Spring

Part Number: BS10



16mm Body Spring

Part Number: BS16
Part Number: RTB1



B/S - Suspension Plate - 16mm Centre Hole

Part Number: SP200



B/S - Suspension Plate - 20mm C/H (ISUZU Spec)

Part Number: SP200I

CURTAIN TENSIONERS



RHS Box Type Curtain Tensioner - Lockable

Part Number: 9212RHCT

LHS Box Type Curtain Tensioner - Lockable

Part Number: 9212LHCT



Curtain Track - 200kg - Unpainted 6m Length

Part Number: 290UP/6000





Load Lock Winch - 5”

Part Number: MCN-4591



Ratchet & Tail - 50mm

Part Number: HRTL-0005-005



9m Tie Down Belt - 50mm

Part Number: HWJW-0009-00





Load Binder (3/8”-1/2”)

Part Number: LB01



Single Twist Lock

Part Number: MCN-1041-A



Certified Corner Casting Set - Set of 8

Part Number: CC-1







Adjustable Ratchet Boot Support
- 1016 – 1778mm

Part Number: RK-801



Adjustable Ratchet Boot Support
- 2260 – 2641mm

Part Number: RK-802







Aluminium (6005) Decking Beam - Loading Rate 1 Ton Horizontal / 1.2 Tons Vertical
- 2336 / 2616mm

Part Number: ADB



Adjustable Cargo Restraint Bar
- 2280 / 2600mm

Part Number: 30500



3m Zinc Plated Cargo Tracking

Part Number: 30020Z



2 x 200mm x 50m
PVC Flat Curtain Strip

Part Number: CSF2



2 x 200mm x 50m
PVC Ribbed Curtain Strip

Part Number: CSR2

3 x 300mm x 50m
PVC Ribbed Curtain Strip

Part Number: CSR3







Double Stainless Steel
Meat Hook

Part Number: DL7060-2



Single Stainless Steel
Meat Hook

Part Number: DL7050



Meat Rail Track
- 7m Length

Part Number: 0051356/7



Meat Rail Bracket
- With Change

Part Number: DL7030-2



Meat Rail Bracket
- Without Change

Part Number: DL7020-2



Meat Rail "U" Bend

Part Number: DL7010-2



Container Door Lock Kit - 22mm

Part Number: BE1000



Container Door Lock Kit - 27mm

Part Number: BE2000



Container Door Lock Kit - 35mm

Part Number: DLBU



Container Door Lock Kit - 22mm Stainless Steel

Part Number: 620S



Container Door Lock Kit - 35mm

Part Number: BE2566E



Recessed Container Door Lock Kit - 16mm Zinc Plated

Part Number: RDL022



Container Door Lock Kit - 27mm Zink Plated

Part Number: ELS02



Container Door Lock Kit - 27mm Stainless Steel

Part Number: UEL025



Container Door Lock Kit - 22mm Ext Cam

Part Number: BE1000-EC



Container Door Lock Kit - 27mm Ext Cam

Part Number: BE2000-EC



27mm Container Door Lock Kit Pipe

Part Number: 27P







Hidden Door Lock Kit - 18mm Zinc Plated

Part Number: HDL18



Light Trailer Coupler - 750Kg

Part Number: BM1040



Goose Neck Towbar

Part Number: BB20G



Dual Ball & Pin Towbar

Part Number: 7-370





Complete Caravan Door lock - Black Polyamide, Outer and Inner With 7mm Spacer

Part Number: 30-6312

COMPLETE UNIT





Interior Handle **Exterior Handle** **Striker**

Caravan Door Lock Set 1.0

Part Number: 30-1125

COMPLETE UNIT






Interior Handle **Exterior Handle** **Exterior Cover Plate** **Striker**

Caravan Door Lock Set 2.0

Part Number: 30-7765

COMPLETE UNIT



RHS New Generation Caravan Door Lock | Butterfly Interior Handle | 10mm Spacer

Part Number: CD9301L

LHS New Generation Caravan Door Lock | Butterfly Interior Handle | 10mm Spacer

Part Number: CD9301R

COMPLETE UNIT



Elipse Compression Push Lock - Excludes Cam

Part Number: 2007

COMPLETE UNIT



Various Key Combinations Available



Various H Dimension Cams Available



Diesel Filler Cap & Neck
- Lockable Cap
- Not Vented

Part Number: DFILL

Water Filler Cap & Neck
- Lockable Cap
- Vented - 40mm Diameter - Neck 100 mm Depth

Part Number: S9944NC



External Electric Inlet 230V/16A

Part Number: MCN9135

DOOR BRUSH STRIP





1080 x 25mm Door Brush Strip
Part Number: P18292MOD-25

1080 x 100mm Door Brush Strip
Part Number: P18292MOD-100

DOOR CHECK STRAPS



Large Door Check Strap - Complete Set
Part Number: SL01021

Rubber Only
Part Number: 603-0020

Bracket Only
Part Number: 2173



Large RHS Check Strap Assembly - Complete Set
Part Number: 603-0038

Rubber Only
Part Number: 603-0006

T-Bracket (Center) Only
Part Number: 603-0039

LH Bracket Only
Part Number: 603-0035

RH Bracket Only
Part Number: 603-0036



Zinc Plated Door Retainer - 122mm

Part Number: 550-551

Stainless Steel Door Retainer - 122mm

Part Number: 550/551SS



Galvanised Door Retainer - 122mm

Part Number: 00436

Alt. Part Number: 550-551-SP

Galvanised Door Retainer - 188mm

Part Number: 00436A

Alt. Part Number: 550-551-LP



Back Protection Plastic - For 550-551 / 550-551SS

Part Number: 550BACK

Part Number: 551BACK



Door Retainer - Cast (66 x 42mm)

Part Number: 2132



Door Retainer - Nylon (66 x 42mm)

Part Number: 5088



Rubber Door Retainer - Male & Female - H 33mm x Dia 40mm

Part Number: 666



Door Retainer - Spear & Socket

Part Number: 984





Magnetic Door Retainer - Black

Part Number: S9999B



Manual Pull-up Blind + Side Guides 930W x 900H

Part Number: 3202



Black Sunvisor

Part Number: CI4601

ALT Part Number: SUN399



Standard Sunvisor - Aluminium Frame

Part Number: RS2-S



3M VHB (RP45)
Double Sided Tape

Width	Length	P/ Number
12mm	33m	RP45-12
18mm	33m	RP45-18
24mm	33m	RP45-24



3M VHB (GPH)
Double Sided Tape

Width	Length	P/ Number
25mm	33m	GPH111



ORAFOL
Double Sided Tape

Width	Length	P/ Number
19mm	33m	UHB-19
25mm	33m	UHB-25



Extreme Sealing Tape - 4411 - 80mm x 33m Length

Part Number: 4411-80



3M Primer 94 - 236.5ml

Part Number: 3M-P94



Lockable Fuel Cap

Part Number: Z108L



Non Lockable Fuel Cap

Part Number: CI922
Alt. part Number: Z108



Fuel Filler Neck

Part Number: Z109



107mm Anti Theft Filler Neck Device

Part Number: Z-AHD



Small Fuel Flap - 215mm x 195mm

Part Number: NH202A



Large Fuel Flap - 250mm x 250mm

Part Number: NH202B

ANTI-THEFT
FILLER NECKS

CLASSIC CL2 80 | CC80



RECOMMENDED APPLICATIONS
For tanks with inner threaded opening Ø80 mm
SCANIA: all models - **JOHN DEERE**: 5000-6000 - **MASSEY FERGUSON**: 4292 hd
TECHNICAL SPECIFICATIONS

120 l/min | Alu /Steel | 80x80x111,6mm | 71,2mm
Ø 32mm | 570g | 47mm | 80mm



CLASSIC CL2 105 | CC105



RECOMMENDED APPLICATIONS
For tanks with 2-point bayonet opening Ø105 mm
DAF: all models - **MAN**: all models -**VOLVO**: all models- **MERCEDES**: all models -**IVECO**: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks - **RENAULT**: Premium, Magnum.
TECHNICAL SPECIFICATIONS

120 l/min | Alu /Steel | 110x110x110,8mm | 73,8mm
Ø 32mm | 780g | 47mm | 110mm



CLASSIC 80 | KK80



RECOMMENDED APPLICATIONS
For tanks with inner threaded opening Ø 80 mm

SCANIA: all models

ACCEPTS MOST ORIGINAL FUEL CAPS

TECHNICAL SPECIFICATIONS

- 120l/min
- Ø 32 mm
- Steel
- 85x85x241 mm
- 1620 g
- 60 mm
- 200 mm
- 85 mm

CLASSIC 105 | KK105



RECOMMENDED APPLICATIONS
For tanks with 2-point bayonet opening Ø 105 mm

DAF, MAN, VOLVO, MERCEDES all models IVECO Stralis, EuroStar, EuroTec, Trakker, EuroTrakker EUROCARGO with metal fuel tanks **RENAULT** Premium, Magnum, Midlum with metal fuel tanks.

ACCEPTS MOST ORIGINAL FUEL CAPS

TECHNICAL SPECIFICATIONS

- 120l/min
- Ø 32 mm
- Steel
- 110x110x220 mm
- 2100 g
- 70 mm
- 195 mm
- 100 mm



Antiluce Fastener
- M8 - 35mm Threaded

Part Number: 3284-35



Antiluce Fastener
- M8 - 16mm Threaded

Part Number: 3284-16



Antiluce Fastener
- M8 Weld On

Part Number: 3274



Antiluce Fastener
- M12 - 70mm Threaded

Part Number: 3244



Antiluce Fastener
- M12 - 19mm Threaded

Part Number: 2255



Antiluce Fastener
- M12 Weld On

Part Number: 2224CH



Z/P Spring Bolt
Base Size -
115 x 40 x 12mm
Pin Size - 235mm

Part Number: 1557IW2



Z/P Spring Bolt
Base Size -
105 x 40 x 12mm
Pin Size - 205 mm

Part Number: 1561IW5



Z/P Spring Bolt
Base Size -
74 x 40 x 12mm
Pin Size - 165mm

Part Number: 837



S/S Spring Bolt
Base Size -
74 x 40 x 12mm
Pin Size - 165mm

Part Number: 2650A



Z/P Short Weld On Spring Bolt
Base Size - 12 x 42mm
Pin Size - 6mm

Part Number: HL117



Zinc Plated Short Spring Bolt
Base Size - 60 x 50 x 9.5mm
Pin Size - 132mm

Part Number: HL110



Aluminium Small Spring Catch
Base Size - 70 x 40 x 10mm
Pin Size - 108mm

Part Number: 847



110mm Throw Over Catch

Part Number: 2676CH



Anti-Theft - 160mm Throw Over Catch

Part Number: 2970



86mm Throw Over Catch

Part Number: 2870



100mm Throw Over Catch

Part Number: 30570C

Stainless Steel

Part Number: 30570LSS



ADJ Zinc Plated Catch - 83 - 89mm

Part Number: 701L

Stainless Steel

Part Number: 701SS



ADJ Zinc Plated Catch - 97 - 120mm

Part Number: 702L

Stainless Steel

Part Number: 702SS



ADJ Zinc Plated Catch - 146 - 163mm

Part Number: 703L

Stainless Steel

Part Number: 703SS



ADJ Self Locking Zinc Plated Catch - 146 - 163mm

Part Number: 703LCZP



Tail Board Fastener

Part Number: 3255



Heavy Duty Tail Board Fastener

Part Number: MCN54



Lockable Heavy Duty Fastener

Part Number: VR10



Chrome Plated Throw Over Catch - 50mm

Part Number: 2770



Chrome Plated Swivel Catch (50mm Diameter)

Part Number: 660



T-Bolt Clamp - 188 - 195mm

Part Number: TB208



Floor Board Fastener (Fine Thread)
Part Number: 2172CH



Floor Board Fastener (Coarse Thread)
Part Number: 2172H/P



Floor Board Fastener Hex Nut
Part Number: 2172MAN





SINGLE LOOP

2 mm Single Loop	R2S
3 mm Single Loop	R3S
4 mm Single Loop	R4S
5 mm Single Loop	R5S
6 mm Single Loop	R6S
8 mm Single Loop	R8S

DOUBLE LOOP

2 mm Double Loop	R2
3 mm Double Loop	R3
4 mm Double Loop	R4
5 mm Double Loop	R5
6 mm Double Loop	R6
8 mm Double Loop	R8



R/H Dropside Fastener
Part Number: 5000771



L/H Dropside Fastener
Part Number: 5000772



Black Flooring PVC - 20 x 2m (40m²)

Part Number: FMB18



Grey Flooring PVC - 20 x 2m (40m²)

Part Number: FSG18



Navy Blue Flooring PVC - 20 x 2m (40m²)

Part Number: FNB18



Coin Flooring - 20 x 2m (40m²)

Part Number: PVC0122



Black Spaghetti PVC Flooring - 1.22 x 12m (14.64m²)

Part Number: PVC3600B



Grey Spaghetti PVC Flooring - 1.22 x 12m (14.64m²)

Part Number: PVC3600G



Grey / Black Spaghetti PVC Flooring -1.22 x 12m (14.64m²)

Part Number: PVC3600BG



Blue / Black Spaghetti PVC Flooring - 1.22 x 12m (14.64m²)

Part Number: PVC3600BB





3M Safety Walk - 101.6 mm x 18.2m Roll

Part Number: 69329



STRUTS AUSTRALIA

4000 Series 6mm End Threads
Maximum Force = 80kg

GASLIFT Part No.	A Stroke	B Ext Length	C Closed Length
K4040	82	200	118
K4041	107	250	143
K4042	132	300	168
K4043	157	350	193
K4044	182	400	218
K4045	204	450	246
K4046	230	500	270
K4047	257	550	293
K4048	282	600	318
K4049	307	650	343
K4050	332	700	368
K4051	357	750	393
K4052	382	800	418

4100 Series 8mm End Threads
Maximum Force = 120kg

GASLIFT Part No.	A Stroke	B Ext Length	C Closed Length
K4100	82	200	118
K4140	157	350	193
K4141	182	400	218
K4142	207	450	243
K4143	232	500	268
K4144	257	550	293
K4145	282	600	318
K4146	307	650	343
K4147	332	700	368
K4148	257	750	393
K4149	382	800	418
K4150	407	850	443
K4151	432	900	468
K4152	457	950	493
K4153	482	1000	518







STAINLESS STEEL GAS STRUTS AVAILABLE ON REQUEST



SAFETY LOCK GAS STRUTS AVAILABLE ON REQUEST

4000 Series



Metal Only
Part Number: K258003BO



Metal Complete
Part Number: K258003



10mm Metal Ball Only
Part Number: BALLSTUD



Plastic Only
Part Number: K258001PO



Plastic Complete
Part Number: K258001



15mm Spacer
Part Number: 358011



6mm Hole Clevis
Part Number: 358119



Double Clevis + Safety Clip
Part Number: T06



6mm Hole Single Clevis
Part Number: 358266A



7° Angle Fitting
Part Number: K258100AB

4100 Series



Metal Only
Part Number: K258251BO



Metal Complete
Part Number: K258251



13 mm Metal Ball Only
Part Number: BALLSTUD-13



Steel Complete
Part Number: 258252



Plastic Comp - 8mm
Part Number: K258001M8



10mm Hole Clevis
Part Number: 358264



Double Clevis
Part Number: 358271



8mm Hole Single Clevis
Part Number: 358253



17mm Spacer
Part Number: 358257



Gas Strut Mount
Part Number: GS100



Gas Strut Mount
Part Number: GS200



Gas Strut Mount
Part Number: GS300



Gas Strut Mount
Part Number: GS500

GSF SLIDING SYSTEMS

WWW.GSF-SLIDES.CO.UK











Push Button Slam Lock

Part Number: 407PB



LH Front Bracket

Part Number: 407BL

RH Front Bracket

Part Number: 407BR





Rear Stop Ass.

(Sold Separately)

Part Number: 407RS



Front Spring

(Sold Separately)

Part Number: 407FS



Carr Carrier

(Sold Separately)

Part Number: 407CC

Aluminium Rail Only

(Sold Separately)

Part Number: 407AR

COMPLETE UNIT

GRP PANELS

TRUCK BODY & INDUSTRIAL STRENGTH PANELS

Panels produced with Lamilux GRP Flat Sheets

LAMILUX



CORE MATERIALS FOR SANDWICH PANEL PRODUCTION:



XPS - Foam (Extruded Polystyrene-Foam)

- Compared to EPS- and standard-PU-foam highest strength at comparatively low weight
- Approx. 30 % higher compressive strength than with Standard PU-foam
- Often used in vehicle construction, for sidewall, roof and particularly for the bottom
- Low water absorption (through diffusion)
- Used for cool trailer, mobile homes and buses



EPS – Foam (Expanded Polystyrene-Foam)

- Also known as “Styropor®”
- Economic solution, if you don’t need a high mechanical strength and heat insulation
- Low weight
- Often used for sidewalls and roofs of caravans and mobile homes



PU – Foam (Polyurethane Foam)

- Well known for its very low heat conductivity and very good insulation properties
- Often used in vehicle construction for sidewalls and roofs of cool trailers
- PU-foam is the result of a chemical reaction between isocyanates, polyols and a blowing agent



PET – Foam

- Well known for the high temperature resistence
- Compared to XPS, EPS and PU higher density and therefore higher compressive strength and shear modulus
- Often used in vehicle construction and mobile homes
- Good chemical resistance
- High bending resistance and rigidity
- High Impact strength
- Dimensionally stable



PVC – Foams

- Known for its high compressive strength and share modulus due to the high density
- Compared to other core materials higher thermal conductivity
- Often used in vehicle construction and mobile homes
- Good chemical resistance
- High bending resistance and rigidity
- High Impact strength
- Dimensionally stable
- Higher compressive and shearing properties possible in comparison to PET-foam



Plywood

- High stability, stiffness and strength
- Has to be water resistant
- Plywood always bears the risk of mildew due to humidity in the construction
- High weight – not for lightweight constructions



PP – Honeycomb Cores

- For light weight constructions with a demand on high pressure stability and mechanical stability
- Cell core diameter - 8mm
- Density (Kg/m³) 80
- Compressive strength (MPa) 1.66
- Modulas of compression (MPa) 45.7
- Shear strength (MPa) 0.5
- Effective temperature (°C) - 40°c To + 80°c
- Thermal insulation U-Value (W/m²k) 2.2

PANEL SHEET SIZES AVAILABLE:

Manufacture Parameters -
3M x 16.2M (Maximum)

Various Sizes Available in Stock

Enquire Instore for More Information



BUILD YOUR PANEL
YOUR WAY



LIGHT WEIGHT

At a nominal thickness of 20mm, Macs lightweight PET/Honeycomb GRP Panels can weigh up to 50% less than typical FRP plywood core panels of the same thickness, providing a lower tare weight solution.
Approx. weight: 6.7kg per m^2

MADE TO ORDER

All panels are produced in-house by McNaughtans and are made to your specifications. When ordering panels, you have the option to specify your exact length (Limitation - 3m x 16.2m single sheet solution), width and height requirements, saving you time in your manufacturing process.

STEP ONE

Choose your GRP Specification out of our comprehensive McNaughtans Lamilux range of products.

STEP TWO

Choose your Core requirements.

STEP THREE

Send us your technical drawing/requirements.

STEP FOUR

We will build your high quality panel with one of our high quality vacuum beds.

ENQUIRE INSTORE NOW







LAMILUX HIGH GLOSS HG 4000



- In thicknesses between 1.5 mm and 4.0 mm
- In widths up to 3.2 m
- In sheets or coils
- In a range of colours: RAL, NCS scale and customer-specific colours
- With a metallic or matt surface
- With a gelcoat surface for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- With a flexible resin system for curved structures
- Other thicknesses, dimensions and colours available on request
- With various reverse side treatments (smooth, corona, sanded, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- High-gloss, smooth surface
- Only LAMILUX offers a high-quality metallic finish
- Consistently high quality thanks to continuous manufacturing process which is monitored 24/7

LAMILUX SUPER



- In thicknesses between 0.6 mm and 5.0 mm
- In widths up to 3.2 m
- In sheets or coils
- In a range of colours: RAL, NCS scale and customer-specific colours
- With a metallic or matt surface
- With a gelcoat surface for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- With an improved surface to reduce the imprint of the fibre (plus)
- Other thicknesses, dimensions and colours available on request
- With various reverse side treatments (smooth, corona, sanded, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- Proven all-round product with a wide range of possible indoor and outdoor applications

LAMILUX WOVEN ROVING (GEWEBE)



- In thicknesses between 0.8 mm and 5.0 mm
- In widths up to 3.2 m
- In sheets or coils
- In a range of colours: RAL, NCS scale and customer-specific colours
- With a matt surface finish
- With a gelcoat surface for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- With a flexible resin system for curved structures
- With an improved surface to reduce the imprint of the fibre (plus)
- Other thicknesses, dimensions and colours available on request
- With various reverse side treatments (smooth, corona, sanded, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- High mechanical strength
- Lower linear expansion coefficient
- Highly resistant to UV radiation and weathering
- Consistently high quality thanks to continuous manufacturing process Aufzählungspunkt weg which is monitored 24/7
- Production process
- Easy to clean

LAMILUX



LAMILUX HIGH IMPACT

- In thicknesses between 0.8 mm and 1.6 mm
- In widths up to 3.2 m
- In sheets or coils
- In a range of colours: RAL, NCS scale and customer-specific colours
- With a gelcoat surface for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- Other thicknesses, dimensions and colours available on request
- With various reverse side treatments (smooth, corona, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- Combines the strengths of different materials: Metal, thermoplastic and thermosetting polymer
- Offers high impact resistance at low weight
- Outstanding flexural and tensile strength
- Highly resistant to UV rays and weathering
- Low thermal expansion coefficient



LAMILUX X-TREME

- In thicknesses between 0.5 mm and 2.5 mm
- In widths up to 3.0 m depending on the product variant
- With woven fabric reinforcement or uni-axial, bi-axial and multi-axial NCF reinforcement
- In sheets or coils
- In a range of colours: RAL, NCS scale and customer-specific colours
- With a gelcoat surface for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- Other thicknesses and dimensions available on request
- With various reverse side treatments (sanded, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- High potential for lightweight construction
- Extreme tensile strength and rigidity of all glass-fibre-reinforced composites
- Good heat resistance
- Low thermal expansion
- Exceptionally high impact resistance and damage tolerance
- Tensile strength of up to 900 MPa



LAMILUX WOVEN ROVING 48%

- in thicknesses between 1.5 and 2.0 mm
- in widths up to 3.2 m
- in sheets or coils
- in a range of colours: RAL, NCS scale and customer-specific colours
- with special hardening for particularly low styrene residue content
- with gelcoat surface for maximum resistance to UV rays and weathering
- gelcoat surface also available with antibacterial effect
- with improved surface for less pronounced fibre imprint (plus)
- in other thicknesses, dimensions and colours, on request
- with different treatments on the back surface (smooth, corona, sanded or soft sanded), on request

SPECIFIC PRODUCT ADVANTAGES

- light and easy to process and install
- impact resistant and very robust
- low specific weight
- corrosion resistant
- easy to repair and clean



LAMILUX EMBOSSED

- In thicknesses between 1.2 mm and 4.5 mm depending on the product variant
- In widths up to 3.0 m depending on the product variant
- In sheets or coils
- In a range of colours: RAL, NCS scale and customer-specific colours
- With a gelcoat surface or film for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- With a flexible resin system for curved structures
- Other thicknesses, dimensions and colours available on request
- With various reverse side treatments (smooth, corona, sanded, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- Embossed, glossy surface
- Optional: wall covering with minimal joints
- Easy to clean
- Consistently high quality thanks to continuous manufacturing process which is monitored 24/7



LAMILUX COMPOSITE FLOOR X-TREME

- With customer-specific PVC flooring layers (customers may provide the PVC)
- In a GRP carrier thickness of 1.1 mm or 1.4 mm
- In widths up to 2.8 m, depending on the PVC decor layer
- In sheets or coils
- Other thicknesses, dimensions and PVC decor layers on request
- With various reverse side treatments (sanded or soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- Innovative, odourless 3-in-1 solution
- Reduction in weight (no adhesive required)
- Shorter process chain for further processing (no need for bonding PVC and GRP)
- Completely odourless owing to special resin system
- Carefully tested under conditions similar to application
- High tensile strength and indent resistance



LAMILUX LAMI GRAPH

- In thicknesses between 1.0 and 3.0 mm
- In widths up to 2.15 m depending on the décor layer
- In sheets or coils
- Other thicknesses, dimensions and PVC décor on request
- With various reverse side treatments (smooth, sanded, soft sanded) on request

SPECIFIC PRODUCT ADVANTAGES

- High strength
- Wide range of available décor options
- More moisture-resistant than plywood
- No formation of mould
- No butt joints, in contrast to wooden décor panels

LAMILUX



LAMILUX X-TREME CARBON

- In thicknesses between 0.6 mm and 2.4 mm
- In widths up to 2.5 m depending on the product variant
- With woven fabric reinforcement or uni-axial, bi-axial and multi-axial NCF reinforcement
- In sheets or coils
- With a matt surface finish
- With a gelcoat surface for maximum UV and weather resistance
- The gelcoat surface is also available with an antibacterial effect
- Other thicknesses and dimensions available on request



LAMILUX ANTI SLIP

- In thicknesses between 1.2 and 2.1 mm
- In widths up to 3.0 m
- In sheets or coils
- In standard colours: Greys (RAL 7030, 7040 or 7043) and black (similar to RAL 9005)
- Also available with epoxy resin
- Other thicknesses, dimensions and colours available on request
- With various reverse side treatments (smooth, sanded or soft sanded) on request

LAMILUX has developed an innovative composite material for use in the medical sector: The fibre-reinforced composite features a special nano silver surface which has antibacterial effects. The effect: Germs die off within a few hours. This innovative material is therefore perfectly suited for use a wall coating in operating theatres and other clinical facilities, for example.

In addition to use in the medical sector, there are also many uses for the high-tech, antibacterial material in the food industry. More specifically, where strict hygiene standards must be complied with and sterility is of the utmost importance; for example, in cold stores, refrigerated warehouses and vehicles as well as in preparation rooms and abattoirs.

TRIPLE EFFECT ON BACTERIA:



- Metabolism impaired by inactivating cellular enzymes
- Cell membrane destroyed
- DNA replication prevented

EFFECTIVENESS ACCORDING TO DIN EN ISO 22196



- Based on four representative bacteria
- Over 99.9% of all bacteria are killed within 24 hours

LAMILUX

WITHOUT LAMILUX ANTIBAC



Cleaning and disinfection are not always uniformly effective over all parts of a surface.

WITH LAMILUX ANTIBAC



LAMILUX AntiBac offers permanent disinfection of the entire surface, even in areas which are difficult to access.



infinito

TRANSPORT: SEA | RAIL | ROAD

HIGH PRESSURE LAMINATE







Infinito High Pressure Laminate is a material that offers excellent qualities, both functional and aesthetic.

Its resistance to wear and vapour, its hygienic properties as well as its versatility in machining and assembly make it the ideal material for use in the transport sector.



It is ideal for all applications where strength and design need to be combined, Infinito High Pressure Laminate, which can be supplied in different typologies, is the most qualitatively reliable material and the one with the most extensive aesthetic potential ideal for transport industry.

Infinito High Pressure Laminate maintains its aesthetic and performance characteristics for the entirety of its life cycle. The core is made up of layers of cellulose fibres impregnated with phenolic resins; the surface by one or more layers of cellulose fibres impregnated with thermosetting resins, providing the decorative function bonded together by high pressure process in compliance with the standard EN 438:2005 – Part 4.

Natural variations in temperature and humidity have no adverse effect on the properties of Infinito High Pressure Laminates, and do not affect the appearance or the properties of the panel that shrinks at low humidity and expands at high humidity. For this reason the material should be conditioned at the installation site. The compactness of Infinito High Pressure Laminate provides an excellent combination of mechanical properties such as flexural, tensile, compressive strength and impact resistance. Infinito High Pressure Laminate is homogeneous and of high density; this favours the retention of fasteners, such as screws and inserts. Renewable raw materials represent a significant percentage of its composition.

- A Busses
- B Aircraft
- C Yachts, Boats & Ships
- D Campers & Caravans
- D Trains





“L” Lock - Chrome Plated
Part Number: 16025301

Threaded
Part Number: 16025301T



“L” Handle - Non Locking Chrome
Part Number: 3334C



“T” Lock - Chrome Plated Threaded - 90 Degree Turn
Part Number: 3411



X2

“T” Lock - Chrome Plated Threaded - Keyed & Paired
Part Number: 3411KP



“T” Lock - Black - Threaded 90 Degree Turn
Part Number: 3414



“T” Lock - Black - 90 Degree
Part Number: 3492

“T” Lock - Black - 360 Degree
Part Number: 3496



“T” Lock - Black - 90 Degree Turn
Part Number: ST303



“T” Lock - Black - Pop-up / 90 Degree Turn
Part Number: 60026



T-Handle 206 Plain - 90 Degree Turn
Part Number: 16395325



Special Carry Boy Lock Handle - 90 Degree Turn
Part Number: 3498



Cam - 3411 Locks

Part Number: 6210000



Centre Boss

Part Number: HPALR9



Rope Hook

Part Number: 10024



Chrome Plated Grab Handle - 113mm Hole to Hole

Part Number: 309



Chrome Plated Grab Handle - 110mm Hole to Hole

Part Number: 31



Chrome Plated Grab Handle - 152mm Hole to Hole

Part Number: 97



Chrome Plated Grab Handle - 145mm Hole to Hole

Part Number: 32



Black Die Cast Grab Handle - 148mm Overall

Part Number: 791



Industrilas Grab Handle - 122mm (Hole to Hole)

Part Number: 575033

Industrilas Grab Handle - 150mm (Hole to Hole)

Part Number: 575035



Plastic Assist Grab Handle - 215mm

Part Number: 300 00103



Dummy Handle - Black
Part Number: 3339B



Dummy Handle - Chrome Plated
Part Number: 3339C



Recess Grip - 146 x 82mm
Part Number: P199-66517



Recess Grip - 134 x 74mm
Part Number: P179-65737



Recess Grip - 120 x 70mm
Part Number: PK.01054

Recess Grip - 148.5 x 85mm
Alt Part Number: P199CH





Industrilás
One Philosophy. Many solutions.

Industrilas Recess Grab Handle - 90 x 50mm
Part Number: 576051



Grey Swivel Hanging Strap
Part Number: NRHS



Yellow Hanging Strap
Part Number: HS009



Yellow Hanging Strap
Part Number: HS010



Emergency Escape Hatch - Pop Up

Part Number: SEH 530X970MM



Emergency Escape Hatch

Part Number: REH 530X890MM



Emergency Hammer

Part Number: 152.22.001





24 Volt Heater / Demister - 3 Speed

Part Number: 2384-24V



Plastic Water Valve Control Assembly

Part Number: 340.06.001



Black Plastic Water Valve

Part Number: 340.05.003



30mm End Rail Bracket - Plastic

Part Number: P327-63509



30mm Centre Rail Bracket - Plastic

Part Number: P327-63499



30mm End Rail Support Bracket - Plastic

Part Number: P32-69037



Glass Partition Bracket - Plastic

Part Number: P36-68977



30mm "T" Support Bracket - Plastic

Part Number: P42-68937



30mm Black Oval Support - Plastic

Part Number: P33-69057



Plant on Bell Push - 81 x 38mm

Part Number: P167-64327

Industrilås

One Philosophy. Many solutions.



External Hinge
- 50 x 50mm

Part Number: 3216-600504-30



External Hinge
- 50 x 45mm

Part Number: 3216-610544-21



External Hinge
- 63 x 50mm

Part Number: 3216-630634-30



External Hinge
- 75 x 50mm

Part Number: 3216-610764-30



External Hinge
- 75 x 50mm

Part Number: 3216-600764-30



ADJ Friction Hinge
- 50 x 45mm

Part Number: 3250-502000-6560



Polyamide Hinge
- 100 x 65mm

Part Number: 325070



Insulated Door Hinge
- 130 x 70mm

Part Number: 321652

Insulated Door Hinge
- 90 x 50mm

Part Number: 321651



S/S Hinge - 75 x 50mm

Part Number: 699L
Alt. Part Number:



S/S Hinge - 68 x 50mm

Part Number: 699CH



Alu Blk Powder Coated Hinge - 89 x 50mm

Part Number: H009BE



Small S/S Canopy Hinge - 68 x 50mm

Part Number: MCN2377



Plastic Lift Off Hinge - 60 x 75mm

R/H Part Number: 2192R
L/H Part Number: 2192L



Nylon Canopy Hinge - 100 x 80mm

Part Number: 1350/2520



Plastic Door Positioning Hinge- 70°

Part Number: C66



Aluminium Hinge - 50 x 75mm

Part Number: 840A



Natural Anodised Hinge - 80 x 75mm

Part Number: H008



Natural Anodised Hinge - 38 x 60mm

Part Number: 840



Black Anodised Hinge - 38 x 60mm

Part Number: 840B



Cast Steel Butt Hinge - 200 x 50 x 6mm

Part Number: 601-0004



Cast Steel Butt Hinge - 160 x 80 x 8mm

Part Number: 445T



Mild Steel Butt Hinge - 102 x 102mm

Part Number: 678U



Mild Steel Lift Off Hinge - 80 x 80 x 6mm

Part Number: 2182



Zinc Slide On Hinge - 105 x 52mm

Part Number: VP300



Plastic Butt Hinge - 69 x 40 x 3.6mm

Part Number: 10116C



Die-Cast Square Butt Hinge - 52 x 40mm

Part Number: 1010168



Die-Cast Large "T" Butt Hinge - 105 x 66mm

Part Number: 1010145



Stainless Steel Hinge - 105 x 52mm

Part Number: VP200-S-19

Zinc Plated

Part Number: VP200



Stainless Steel Hinge - 101 x 76 x 2mm

Part Number: QS4417



Brass Butt Hinge - 100 x 75mm

Part Number: 2011



S/S Butt Hinge - 40 x 50mm

Part Number: 480



Comp. Door Hinge - Cast / Plastic Cover - 58 x 52mm

Part Number: HL045



Comp. Door Hinge - Cast / Plastic Cover - 44 x 49mm

Part Number: HL042



Mild Steel Butt Hinge

Part Number: HINBFOIFE

Industrilás
One Philosophy. Many solutions.



PA6 Compact Hinge-Latch with Safety Catch
91mm x 85mm
Part Number: 2651-420034-K2

Without Safety Catch
Part Number: 2651-430034-K2

Industrilás
One Philosophy. Many solutions.



Zinc Plated Click Hinge
- Removable
Part Number: 311117



P/N	MATERIAL	OPEN WIDTH	LENGTH	MATERIAL THICKNESS
680	MILD STEEL	100MM	1850MM	3MM
680G	GALVANISED	100MM	1850MM	3MM
681	MILD STEEL	75MM	1850MM	3MM
682	MILD STEEL	50MM	1850MM	3MM
683	MILD STEEL	75MM	1850MM	2MM
684	MILD STEEL	64MM	1850MM	2MM
685	MILD STEEL	50MM	1850MM	2MM
685G	GALVANISED	50MM	1850MM	2MM
685SS	STAINLESS STEEL	50MM	1850MM	2MM
686	MILD STEEL	38MM	1850MM	2MM
687	MILD STEEL	75MM	1850MM	1,6MM
687/1200SS	STAINLESS STEEL	75MM	1200MM	1,6MM
687SS	STAINLESS STEEL	75MM	2000MM	1,6MM
689	MILD STEEL	50MM	1850MM	1,6MM
689B	BRASS	50MM	2000MM	1,6MM
689G	GALVANISED	50MM	1850MM	1,6MM
689SS	STAINLESS STEEL	50MM	2000MM	1,6MM
690	MILD STEEL	38MM	1850MM	1,6MM
690B	BRASS	38MM	2000MM	1,6MM
690SS	STAINLESS STEEL	38MM	2000MM	1,6MM
691	MILD STEEL	25MM	1850MM	1,6MM
692	MILD STEEL	50MM	1020MM	1,6MM



Piano Hinge
Various Sizes Available For Various Bus Ranges
- Enquire Instore



340 x 50 x 1.6mm S/S Piano Hinge
Various Sizes Available For Various Bus Ranges
- Enquire Instore





7 Link Luggage & Bonnet Hinge
- LH Heavy Duty
Part Number: MO 072L

7 Link Luggage & Bonnet Hinge
- RH Heavy Duty
Part Number: MO 072R



Drop Side Hinge
- 16mm Mild Steel

Part Number: N14



Cranked Drop Side Hinge
- 16mm Mild Steel

Part Number: D4



Removable Drop Side Hinge
- Set

Part Number: 2218



Cast Removable
Drop Side HInge

Part Number: 60152/3



50 x 6mm Drop Side Hinge
- Mild Steel

Part Number: B2HINGE-6



60 x 6mm Drop Side Hinge
- Mild Steel

Part Number: C3-6



Galvanised Hinge
- 202 x 70mm

Part Number: VDH100



Zinc Plated Hinge
- 230 x 70mm

Part Number: 5001BCH



Fold Back, Pressed
Steel Hinge
- 43 x 28mm

Part Number: 671CH



Fold Back, Pressed
Steel Hinge
- 157 x 56mm

Part Number: 672CH



Fold Back, Pressed
Steel Hinge
- 238 x 65mm

Part Number: 673CH



Pressed Steel Hinge - 350 x 80mm

Part Number: 674CH



Pressed Steel Hinge With Holes - 350 x 80mm

Part Number: 674H



Pressed Steel Hinge - 460 x 80mm

Part Number: 675G



Skyjack Hinge - 351 x 65 x 8mm

Part Number: SKY120



Zinc Plated, Steel Hinge - 234 x 66mm

Part Number: H8



Stainless Steel Hinge - 249 x 80 x 4mm

Part Number: 60013S



Pressed Steel Hinge - 350 x 90mm

Part Number: MCN-1



Zinc Plated Hinge - 300 x 95mm

Part Number: MCN106



Stainless Steel Hinge - 300 x 95mm

Part Number: MCN105



Zinc Plated, Steel Hinge - 360 x 70mm

Part Number: H3



Forged Cast Hinge - 315 x 90mm

Part Number: CSLB



Galvanised Hinge - 322 x 105mm

Part Number: MCN108







Lateral Side Protection Bar - 540mm Length
Part Number: 8511
Alt. Part Number: M6505

Lateral Side Protection Bar - 700mm Length
Part Number: 8516
Alt. Part Number: M6507





Zinc Plated Hinge
Part Number: 60028Z





Zinc Plated Hinge
Part Number: 60027Z

Stainless Steel Hinge
Part Number: 60027S





Cranked Zinc Plated Hinge
Part Number: 60030Z

Cranked Stainless Steel Hinge
Part Number: 60030S





Stainless Steel Hinge
Part Number: 60017S



Cranked Zinc Plated Hinge
Part Number: 60018Z

Cranked S/S Hinge
Part Number: 60018S





7 Pin Female Plug - Metal

Part Number: ELPTS7



7 Pin Male Plug - Metal

Part Number: ELPTP7



7 Pin Female Plug - Nylon

Part Number: 88205P



7 Pin Male Plug - Nylon

Part Number: 88218P



7 Core Cable - 50m Roll

Part Number: MSH7



Jockey Wheel 48 mm 150kg (Stationary Load) Solid Rubber - Steel Rim

Part Number: JW005



Jockey Wheel Bracket

Part Number: MCNK73



Retractable Jockey Wheel - Built in Clamp - 60mm - 250kg Lift Capacity

Part Number: JW001



Double Wheel Jockey Wheel 450kg Stationary Load - 60mm with clamp

Part Number: G66



LED Canopy Stop Light - 258 x 26mm

Part Number: C35



LED Canopy Stop Light - 250 x 33mm

Part Number: LED340



LED Canopy Panel Stop Light

Part Number: JS171701



90mm Low Beam Headlight - E Approved

Part Number: NS-4301L

90mm High Beam Headlight - E Approved

Part Number: NS-4301H



LED Daytime Running & Indicator Front Lamp - 24V

Part Number: JS178703



LED FOG LAMP

Part Number: JS151906



Number Plate Lamp - LED

Part Number: LED40014C

Alt Part Number: TL31LED



Small Number Plate Lamp - LED

Part Number: TL15LED



Battery Operated Lamp
- LED

Part Number: LL

12V Operated Lamp
- LED

Part Number: LL12V



12V Globe Interior Lamp
- With Switch

Part Number: FP09054



Glass Dome Lamp
- 130mm Diameter

Part Number: NH131



24V Plastic Rectangular Lamp
- Fluorescent
- 550 x 145mm

Part Number: CH102B



Plastic Recess Fit Lamp
- 252 x 132mm

Part Number: FP 23070



LED Interior Panel Lamp
- 582 x 148 x 29.5mm
- 2500 Lumen 12 / 24 V

Part Number: J6202



LED Flat Panel Lamp
- 100 x 150 x 7.5mm
- 550 Lumen 12 / 24 V

Part Number: J6207





LED Interior Lamp With Switch

21 LED - 160 x 40mm
Part Number: TL-217VS

33 LED - 210 x 40mm
Part Number: TL-217VM

42 LED - 260 x 40mm
Part Number: TL-217VL

54 LED - 310 x 40mm
Part Number: TL-217VXL

63 LED - 360 x 40mm
Part Number: TL-217VXXL

LED Interior Panel Lamp With Switch

42 LED - 177 x 90mm
Part Number: TL-118VS

72 LED - 267 x 90mm
Part Number: TL-118VM

108 LED - 376 x 90mm
Part Number: TL-118VL

138 LED - 466 x 90mm
Part Number: TL-118VXL



Bolt-On Amber Strobe Light - LED

Part Number: TL-55VY-1



Magnetic Mount Amber Strobe Light - LED / Lighter Socket Fitting - 130 x 90mm

Part Number: LED848A



Clear LED Marker Lamp

Part Number: 0200133



Tear Drop LED Marker Lamp - Amber + Wiring Fitting

Part Number: BV020



50mm Red LED Marker

Part Number: TL13VR-1



50mm Amber LED Marker

Part Number: TL13VY-1



50mm Clear LED Marker

Part Number: TL13VW-1



50mm Green LED Marker

Part Number: TL13VG-1



Rubber Grommet For 50mm Marker Lamp

Part Number: TL7G



50mm Red LED Marker - Complete

Part Number: LED882R



50mm Amber LED Marker - Complete

Part Number: LED882A



50mm Clear LED Marker - Complete

Part Number: LED882C



50mm Green LED Marker - Complete

Part Number: LED882G



Plastic Bracket For 50mm Marker Lamp

Part Number: TL7BB



Amber LED Marker Lamp

Part Number: LED8836A
Alt. Part Number: CLC994L-A-10-30V



Red LED Marker Lamp

Part Number: LED8836R
Alt. Part Number: CLC994L-R-10-30V



Clear LED Marker Lamp

Part Number: LED8836C
Alt. Part Number: CLC994L-C-10-30V



Amber LED Marker Lamp - Clear Lens - 12 - 24V

Part Number: TL-W002



Red LED Marker Lamp - Clear Lens - 12 - 24V

Part Number: TL-W001



Clear LED Marker Lamp - Clear Lens - 12 - 24V

Part Number: TL-W003



LED Oval Marker Light - Clear Lense / Colour Lumination

Green

Part Number: MCN10G

Red

Part Number: MCN10R

Clear

Part Number: MCN10C





Amber / Red Combo

Part Number: MCN10AR





Truck Lamp - Side Marker Light Set (LHS & RHS)
- 12V - 24V
- Rear Position Light
- Side Marker Light
- Neon Front Position Light
- Amber Neon Dynamic Indicator Light

Part Number: TL-M001



Sirius Stop Lamp - Globe

Part Number: NS-2303E



Sirius Reverse Lamp - Globe

Part Number: NS-2603E



Sirius Indicator Lamp - Globe

Part Number: NS-2804E



Sirius Stop Lamp - LED

Part Number: NS-2306E



Sirius Reverse Lamp - LED

Part Number: NS-2606E



Sirius Indicator Lamp - LED

Part Number: NS-2805E



Combination Lamp - Globe - Type 98 x 98mm

Part Number: E82



Globe Combination Lamp - 189mm x 98mm x 53mm

Part Number: TL8



LED Combination Lamp - Colour Lense + Red Reflector

Part Number: JH120



Combination Lamp - Globe Type - 110 x 110mm

Part Number: TL82



Globe Combination Lamp - 165mm x 80mm x 49mm

Part Number: E75



LED Combination Lamp - Clear Lense + Red Reflector

Part Number: LED8838COM



LED Combination Lamp - Stop, Tail, Indicator & Number Plate Light - 105 x 98mm

RHS - Part Number: TL-5004R
LHS - Part Number - TL-5004L



LED Combination Lamp Stop, Tail, Indic, No. Plate - 165 x 80mm

Part Number: TL-5030AL



Amber Plastic Indicator Lamp

Part Number: NH104A



LED Combination Lamp - Stop, Tail & Indicator

Part Number: NS-2334



110mm S/Sealed Truck Lamp - Red

Part Number: 1034R



110mm S/Sealed Truck Lamp - Amber

Part Number: 1034A



110mm S/Sealed Truck Lamp - Clear

Part Number: 1034C



110mm S/Sealed Delux Truck Lamp - Red



110mm S/Sealed Delux Truck Lamp - Amber

Part Number: TL2D



110mm S/Sealed Delux Truck Lamp - Clear

Part Number: TL5D



110mm / 11 LED Stop Lamp - Red

Part Number: LED881R



110mm / 19 LED Truck Lamp - Red

Part Number: TL22LED



110mm / 19 LED Truck Lamp - Amber

Part Number: TL33LED



110mm / 19 LED Truck Lamp - Clear

Part Number: TL5LED



110mm LED Truck Lamp - Stop, Tail & Indicator

Part Number: LED88307COM
Alt. Part Number: TL23LED



8 Hole Polyprop Light Box Holder - 2500mm

Part Number: PP8HLB-2500



Stainless Steel Flange - For 110mm LED Lamps

Part Number: TLFK



Single Light Box

Part Number: AL1P



2 Hole Light Box

Part Number: AL20P



3 Hole Light Box

Part Number: AL21P



5” LED Spot Beam - Chrome Finish

Part Number: NS-3724C



6” High Power LED Spot Beam

Part Number: TL-8836H



2 x 10 Watt High Power Work Lamp - Lighter Socket

Part Number: TL-W2090



9 LED Square Worklamp (10 - 30V) - Cast Mould

Part Number: S1-145LED



2” High Powered LED Mini Worklamp

Part Number: TL-5014



40 LED Bar Lamp L:549mm, H:79mm, W:52mm - 10-30V (120 Watt)

Part Number: TL-W209VM



Recess Lashing Ring - Spring Loaded - Zinc Plated (100 x 100mm)

Part Number: 98701



Surface Mount Lashing Ring

Part Number: 98800



License Disk Holder - Single (110 X 135mm)

Part Number: LDH001



License Disk Holder - Double (110 x 245mm)

Part Number: LDH 002



License Disk Holder - Triple (110 x 355mm)

Part Number: LDH003



License Disk Holder Metal

Part Number: H5153

2 Way Rod With Guides

Part Number: 2298



Adj. Guide For 2 Way Rod

Part Number: 2298GL

Guide For 2 Way Rod

Part Number: 2298G



Hook Slam Catch / End Lock

Part Number: 2227



Cable Type Slam Catch / End Lock

Part Number: 2226



Spring Loaded Centre Boss

Part Number: 376



Canopy Connector

Part Number: CAN080





Black Plastic Escutcheon - 50 x 40mm

Part Number: P144



Oval Black Escutcheon - 61 x 37mm

Part Number: 0532.00



Chrome Plated Escutcheon - 27x 27mm

Part Number: 130



Small Budget Lock - 85 x 22mm

Part Number: 70603



Small Budget Lock - 87 x 23mm

Part Number: 748MAN



Large Budget Lock - 125 x 28mm

Part Number: 70601



“T” Key For Budget Locks

Part Number: 2257

Industrilås
One Philosophy. Many solutions.

IP65 COMPRESSION LATCH

COMPLETE VIBRATION-RESISTANT COMPRESSION LATCH LOCK

Flush compression latch sealed against water and dust IP 65 and integrated PUR-gasket. With raised push button and adjustable grip range. Available with different key versions. Lock will supplied with two keys.

IP65 Water & Dust Proof

Universal LH / RH

DIN EN 61373 Vibration-resistant



MATERIAL:

Housing Material:
PA6 with fibre content.
Handle:
Zinc die-cast, black powder coated.
Latching arm, inside sealed area:
Zinc, zinc plated.





Pressure Lock - Black - 104 x 50mm
Part Number: 10205



Rubber Dust Cover
Part Number: 2815-705005



EPDM Gasket Cover
Part Number: 281570-007000



Multiple Colour Variants Available with MOQ

KLIMAFLEX - DOOR LATCH SYSTEM



① LATCHING OPTIONS





In Swing Handle - Non Locking
Part Number: 2651-205000

In Swing Handle - Locking
Part Number: 2651-205280





Out Swing Handle - Non Locking
Part Number: 2651-225400

Out Swing Handle - Locking
Part Number: 2651-205680

② CENTRE LATCHING UNIT







Centre Latching Unit - 25mm Door Thickness
Part Number: 2651-101025

Centre Latching Unit - 43mm Door Thickness
Part Number: 2651-101043

More Options Available on Request for different Door Thicknesses

③ ADJ ROLLER CAM





ADJ Roller Cam
Part Number: 2651-305125-0062

COMPRESSION HANDLE





Compression Handle
Part Number: 275004-30

HINGE OPTIONS









Polyamide Hinge
- 100 x 65mm
Part Number: 325070



Insulated Door Hinge
- 130 x 70mm
Part Number: 321652

Insulated Door Hinge
- 90 x 50mm
Part Number: 321651



Compact Hinge-Latch with Safety Catch
91mm x 85mm
Part Number: 2651-420034-K2

Without Safety Catch
Part Number: 2651-430034-K2



Chrome Plated Pressure Latch - Small (80 x 35mm)

Part Number: 10208BC - M
Alt. Part Number: 10208BC - L



Black Pressure Latch - Small (80 x 35mm)

Part Number: 10208BB - M
Alt. Part Number: 10208BB - L



Industrilås
One Philosophy. Many solutions.

Padlock Compatible Compression Handle - 30mm

Part Number: 275004-30

Chrome Plated Pressure Latch - Large (104 x 50mm)

Part Number: 10207BC - M
Alt. Part Number: 10207BC - L

Enquire Instore For H Dimension Cam Options







Lockable Pressure Catch - 57mm H Dimension Catch

Part Number: 2814-030609-2346





Lockable Pressure Catch - 35mm H Dimenion Catch

Part Number: 2814-030609-0214





Black Plastic Latch Lock

Part Number: M61



Pressure Spring Catch - Small (Base - 91 x 45mm) (H - 31mm)

Part Number: BV013





White Plastic Latch Lock

Part Number: M61-W



Pressure Spring Catch - Large (Base - 110 x 59mm) (H - 54mm)

Part Number: BV013L



Exterior Door Handle - LHS
Part Number: M28LDH



Exterior Door Handle - RHS
Part Number: M28RDH



Actuator
Part Number: M055
***Optional Extra**







Striker
Part Number: M2002S



Interior Door Handle - LHS
Part Number: M37LH



Door Latch LHS
Part Number: M20LAL



Door Latch RHS
Part Number: M20LAR

Interior Door Handle - RHS
Part Number: M37RH

Complete Modern Door Lock Set - RHS
Part Number: MDS-R

Complete Modern Door Lock Set - LHS
Part Number: MDS-L

IP65 Water & Dust Proof
Padlock loop
Universal LH / RH





Flush T-handle with 4mm compression stroke, in zinc or stainless steel version. Mounting with screws or rivet. The Vector T-handle features two independent locking systems: key locking cylinder and retractable padlock loop (Diameter - 8mm) which prevents the handle from being lifted or turned. Handle rotation 90° right, 90° left or 180°

MATERIAL

Body and roller: Glass fibre reinforced polyamide (PA6), black.
Handle: Zinc die-cast, chrome plated, black texture powder coated or stainless steel (304), plain or black texture powder coated
Adjustable cam: Zinc die-cast, passivated
Shaft: Steel, zinc plated, zinc, zinc plated or stainless steel (304)
Padlock loop: Stainless steel (304)
Cylinder: Zinc die-cast, stainless steel (304) cap and dust shutter



Vector T-Handle Zinc with Cast-in Bolts & ADJ Cam

Zinc, Chrome Plated Handle

Part Number: 275363-68-S1
Part Number: 275363-69-S1

Stainless Steel, Black Powder Coated Handle

Part Number: 273063-68-S1

Padlock loop
Universal LH / RH





Flush T-handle with 4mm compression stroke, in zinc or stainless steel version. Mounting with screws or rivet. The Vector T-handle features two independent locking systems: key locking cylinder and retractable padlock loop (Diameter - 8mm) which prevents the handle from being lifted or turned. Handle rotation 90° right, 90° left or 180°

MATERIAL

Body and roller: Glass fibre reinforced polyamide (PA6), black.
Handle: Zinc die-cast, chrome plated, black texture powder coated or stainless steel (304), plain or black texture powder coated
Adjustable cam: Zinc die-cast, passivated
Shaft: Steel, zinc plated, zinc, zinc plated or stainless steel (304)
Padlock loop: Stainless steel (304)
Cylinder: Zinc die-cast, stainless steel (304) cap and dust shutter



IP65 GRADE + RUBBER SEAL

Vector T-Handle with Mounting Holes & ADJ Cam

Additional EPDM Rubber Seal

Part Number: 275020-31

Black Powder Coated Zinc Handle

Part Number: 275021-06-S1
Part Number: 275021-13-S1

Stainless Steel, Black Powder Coated Handle

Part Number: 273021-06-S1

IP65 Water & Dust Proof

Universal LH / RH

DIN EN 61373 Vibration-resistant





Heavy duty Vector 2, T-handle with mounting bracket provides a quick, easy and reliable blind mounting. Flush T-handle with a 4 mm compression stroke. Available with fixed cam or adjustable cam with selectable grip range 17 -52 mm. Both fixed and adjustable cam options are available as 2- or 3-point latching system. Comes with a keyed alike locking-cylinder with folding stainless steel dust shutter. Cylinder is replaceable when T-handle is open. This heavy duty Vector 2 T-handle is designed to be used on flat sheet metal. Equipped with integrated PUR-gasket, protection degree IP65. Can be open and closed clockwise and counterclockwise (180º handle rotation). Unique design of T-handle for best possible grip.

MATERIAL

Body and roller cam: Glass fibre reinforced polyamide (PA6GF30), black.
T-shaped handle: Zinc die cast, chrome plated or black texture powder coated.
Adjustable cam: Zinc die cast, passivated
Mounting bracket, fixed cam, cast-in bolts and assembly hardware used inside sealed area: Steel, zinc plated
Cylinder: Zinc die cast with stainless steel (304) cap and dust shutter.
Nuts: (2 pcs) supplied with mounting bracket: Steel, zinc plated





Large Vector T-Handle with Cast-in Bolts - Chrome Handle

Part Number: 2751-10282-S1

VECTOR P - SLAM ACTION PADDLE HANDLE LATCH KIT







3 Point Cam System - Rod Adapter - 8mm

Part Number: 2800-001040-0100



Slam Catch - Spring Loaded

Part Number: 282135-01



10mm Rod Guide

Part Number: 282126



Rod Adapter - 10mm

Part Number: 282119-10

*** 10mm ROD NOT INCLUDED OR KEPT IN STOCK**

Vector P-Handle Universal





Part Number: 2800-001050-0101



Part Number: 2800-001010-0101









Luggage Compartment Handle Complete

Part Number: CI931

Complete Door Lock Set with 7440 Handle - RHS

Part Number: 590-A-917R

Complete Door Lock Set with 7440 Handle - LHS

Part Number: 590-A-917L



Push Button Handle - Lockable

Part Number: 7440



Interior Handle

Part Number: 580-0098



LH



RH

Rotary Latch Lock

Part Number: 600-0211 (Left)
Part Number: 600-0212 (Right)



LH



RH

Striker Plate

Part Number: 600-0215 (Left)
Part Number: 600-0216 (Right)



LH



RH



Part Number: 600-0213 (Left)

Subsidiary Lock & Arm - Left & Right Hand

Part Number: 600-0214 (Right)











Complete Remote Door Lock Kit

Part Number: CI9522L (Left)
Part Number: CI9522R (Right)



Zinc Plated Paddle Handle - 140 x 89mm



Non Locking Paddle Handle - No Interior Release

Part Number: 907/001



Non Locking Paddle Handle - With Interior Release

Part Number: 907/003



Zinc Plated Paddle Handle - 140 x 89mm



Locking Paddle Handle - No Interior Release

Part Number: 907/010



Locking Paddle Handle - With Interior Release

Part Number: 907/014





Stainless Steel Locking Paddle Handle 120 x 90mm - No Interior Release

Part Number: 70406S





Stainless Steel Locking Paddle Handle 140 x 108mm - No Interior Release

Part Number: 70408





Stainless Steel Two Way Paddle Handle With Interior Handle - Lockable

Part Number: AU80





Stainless Steel Drop "T" Locking Recess Handle - ADJ Cam

Part Number: 70407S

Industrilas

One Philosophy. Many solutions.

NEW PRODUCT

CUSTOMIZED QUARTER TURN WITH DIFFERENT CAM VARIATIONS

COMPLETE VIBRATION-RESISTANT QUARTER-TURN LATCH

A complete latch consists of housing, nut, insert, washer, screw and cam. To achieve protection degree of IP65, an O-ring is placed on the insert and a flat gasket on the housing.







IP65 Water & Dust Proof | NEMA 4 Waterproof to NEMA 4 | Universal LH / RH | DIN EN 61373 Vibration-resistant

18mm Quarter Turn Locks - Zinc Plated Steel Cams			
HOUSING	INSERT	CAM (H/L)	PART NUMBER
18mm Zinc, Black Coated	Square 6	16/45	2416-101610-1645
18mm Zinc, Black Coated	Square 6	18/45	2416-101650-1845
18mm Zinc, Black Coated	Square 6	20/45	2416-101610-2045
18mm Zinc, Black Coated	Square 6	22/45	2416-101610-2245
18mm Zinc, Black Coated	Square 6	24/45	2416-101650-2445
18mm Zinc, Black Coated	Square 6	26/45	2416-101610-2645
18mm Zinc, Black Coated	Square 6	34/45	2416-1016103445
18mm Zinc, Black Coated	Square 8 / M6	18/45	2416-008650-1845
18mm Zinc, Chrome Plated	Square 6	30/45	2412-005240-3045







IP65 Water & Dust Proof | NEMA 4 Waterproof to NEMA 4 | Universal LH / RH | DIN EN 61373 Vibration-resistant

13.5mm Quarter Turn Locks - Zinc Plated Steel Cams			
HOUSING	INSERT	CAM (H/L)	PART NUMBER
13.5mm Zinc, Black Coated	Square 6	13.5/27	2456-001650-1327









SQUARE 6 INSERT





CUT OUT MEASUREMENTS

IP65 Water & Dust Proof | NEMA 4 Waterproof to NCMA 4 | Universal LH / RH

18mm (304) Stainless Steel Zinc Quarter Turn Locks			
HOUSING	INSERT	CAM (H/L)	PART NUMBER
18mm Stainless Steel	Square 6	18/45	2313-301353-1845
18mm Stainless Steel	Square 6	26/45	2313-301353-2645









SQUARE 6 INSERT





CUT OUT MEASUREMENTS

IP65 Water & Dust Proof | NEMA 4 Waterproof to NCMA 4 | Universal LH / RH

18mm Padlock Quarter Turn Locks - Zinc Plated Steel Cams			
HOUSING	INSERT	CAM (H/L)	PART NUMBER
18mm Padlock, Black Coated	Square 6	22/45	2226-101650-2245
18mm Padlock, Black Coated	Square 6	34/45	2226-101650-3445
18mm Padlock, Black Coated	Square 6	24/45	2226-101610-2445









CUT OUT MEASUREMENTS

IP65 Water & Dust Proof | NEMA 4 Waterproof to NCMA 4 | Universal LH / RH | DIN EN 61373 Vibration-resistant

18mm Wingknob Quarter Turn Latch			
SIZE	MATERIAL	LOCKABLE	PART NUMBER
18mm	PA6	Yes	245042-1

**PA6 - GLASS FIBRE REINFORCED POLYAMIDE*

18mm Cam Options - Zinc Plated Steel Cams			
METAL	SUITABLE HOUSING	CAM H+/L	PART NUMBER
Zinc	18MM	H+2/45	232110-U
Zinc	18MM	H+10/45	232115-U
Zinc	18MM	H+14/45	232117-U
Zinc	18MM	H+16/45	232118-U
Zinc	18MM	H+18/45	232120-U



Compression Latch with 8mm Insert - LHS

Part Number: CL8L

Compression Latch with 8mm Insert - RHS

Part Number: CL8R



Compression Latch Non-Lockable

Part Number: 8-3010-018



Plastic Wingknob

Can only be used with 18mm Quarter Turn Latch / Insert Square 8 / M6

Part Number: 295068



Quarter Turn For Wingknob

Part Number: 2416-008650-1845



Finger Pull Back Plastic Interior Lever - 28mm

Part Number: 295005



Quarter Turn Key - Square 6 - Zinc Plated

Part Number: 291101



Quarter Turn Key - Square 6 - Plastic

Part Number: 29501001





Vision Swing Handle (Zinc)

Part Number: 121641121-C21S

Vision Swing Handle (PA6)

Part Number: 12501112-C21S



Vision Swing Handle PA6

Part Number: 1215011-C21S



Zinc Plated Click Hinge - Removable

Part Number: 311117



3 Point Cam System - Zinc Plated Steel Cams				
PART NUMBER	METAL	SUITABLE HOUSING	STOPPER	CAM H+/L
2321S09	ZINC	18mm	NO	H+0/45
2321S09PU	ZINC	18mm	YES	H+0/45
2321S10P	ZINC	18mm	NO	H+2/45



3 Point Cam System - Rod Adapter - 8mm

Part Number: 282119



3 Point Cam System - Rod Guide - 20mm

Part Number: 285024



3 Point Cam System - Rod Guide Extended - 26mm

Part Number: 285023



19mm Cubby Hole Lock

Part Number: 7/1908



Turn Button Cubby Hole Lock

Part Number: TL-7058



Slam Lock - Zink Plated

Part Number: MCN2115L (Left)

Slam Lock - Zink Plated

Part Number: MCN2115R (Right)



Universal Slam Latch

Part Number: 2121



Nylon Tongue Slam Lock - Zink Plated

Part Number: 2410/001 (Left)
Part Number: 2410/002 (Right)



Anti-Burst Latch

Part Number: 9301-001 (Left)
Part Number: 9301-002 (Right)



Sliding Door Slam Lock - Universal

Part Number: 2092-006



Striker Plate

Part Number: 2261/001



ADJ Cast Aluminium Striker - 30 x 38mm

Part Number: 2268



Striker For 9301 Latch

Part Number: 9301-101



Striker For 2092 Lock

Part Number: 2092-003 (Left)
Part Number: 2092-013 (Right)



Slam Lock - 110 x 110mm

Part Number: 2342 (RIGHT)
Part Number: 2343L (LEFT)



Universal Slam Lock - 100 x 110mm

Part Number: 2340 (UNIVERSAL)



Universal Slam Lock - Zink Plated - 68 x 85mm

Part Number: 220



Universal Slam Lock - Zink Plated - 68 x 105mm

Part Number: 00233



Interior Anti-Burst Lock

Part Number: 4760 (Left)



Interior Anti-Burst Lock

Part Number: 4765 (Right)







LOUVRES

415A	3 SLOT (110 x 180mm)	ALUMINIUM
416A	4 SLOT (150 x 180mm)	ALUMINIUM
417A	5 SLOT (183 x 180mm)	ALUMINIUM
418A	6 SLOT (215 x 180mm)	ALUMINIUM
420A	8 SLOT (285 x 180mm)	ALUMINIUM
421A	10 SLOT (350 x 180mm)	ALUMINIUM



Magazine Net - Rope Type - 315 x 205mm

Part Number: JY1081



Plastic Magazine Net - 190 x 305mm

Part Number: 5085



264 x 235 x 33mm Document Holder

Part Number: 566005



RH Mirror Arm - Cast Steel & Powder Coated

Part Number: MR01R054



LH Mirror Arm - Cast Steel & Powder Coated

Part Number: MR01L057



Fold Back Mirror Arm - 500 x 505mm

Part Number: M555



Spring Loaded Fold Back Mirror Arm - 300 x 295mm

Part Number: M150



Z - Mirror Arm

Part Number: MCN456



Fold Back Mirror Arm - 236 x 577mm

Part Number: M255



Interior Bus Mirror With Arm - 222 x 147mm

Part Number: M1B
Alt. Part Number: CJM1 (No Arm)



Convex Lens Mirror With Arm - 245 X 135mm

Part Number: M2



Convex Lens Mirror - 258 x 163mm

Part Number: M102C



Convex Lens Mirror - 265 x 165mm

Part Number: M38C



Convex Lens Mirror - 309 x 219mm

Part Number: M301C
Alt. Part Number: CJ301M



Convex Lens Mirror - 340 x 196mm

Part Number: M401C
Alt. Part Number: CJ401M



Convex Lens Mirror - 427 x 231mm

Part Number: M501C
Alt. Part Number: CJ501C



Convex Lens Mirror - 390 x 205mm

Part Number: M3000C



Blind Spot Mirror - 101 x 139mm

Part Number: TC-HW205



Short Number Plate Holder - 440 x 120mm

Part Number: NP1



Long Number Plate Holder - 520 x 120mm

Part Number: NP2



SABS Mudflap - 600 x 600mm
Part Number: MF600



Mudflap - 600 x 600mm
Part Number: MUD600-I

Mudflap - 600 x 600mm
Part Number: MUD400-I



Polyprop Mudflap 600 x 600mm
Part Number: MUD600P

600 x 400mm
Part Number: MUD400P

600 x 450mm
Part Number: MUD450P



Rainflap - 1020 x 660mm
Part Number: 3S RAINFLAP









Mud Gaurds - 435mm
Part Number: MG435

Mud Gaurds - 650mm
Part Number: MG650



Nylon Bracket - 48.2mm
Part Number: NB48

Nylon Bracket - 54.2mm
Part Number: NB54

PVC DOOR EDGE CAPPING





21mm PVC Edge Capping

Part Number: P200-21



30mm PVC Edge Capping

Part Number: 1401040



42mm PVC Edge Capping

Part Number: 1401030



65mm PVC Edge Capping

Part Number: 1401020

ROLLER DOOR COMPONENTS



Lift Handle - Electro Coated

Part Number: 802000MEF



Fixing Bracket For Cables

Part Number: 802130MZ



Door Hinge - Ends - Zinc Plated

Part Number: 802070MZ



Top Fixture Bracket - Electro Coated

Part Number: 802040ME



Zinc Plated Lock Assembly - Inc Cam Lock

Part Number: 802120ME



Door Centre Hinge - Zinc Plated

Part Number: 802060MZ



Full Strap - 1000mm (L)

Part Number: 802110ME



Bottom Fixture - Zinc Plated

Part Number: 802050MZ



Dual Spring - Black Coating

Part Number: 802010MR



Keeper Plates - Electro Coated

Part Number: 802000ME



Roller Wheel - Zinc Plated

Part Number: 802030MZ





BE SEEN

WITH OUR WIDE RANGE OF REFELCTIVE PRODUCTS ...



Amber Reflexite Tape - 50m Roll

Part Number: VC104A



Red Reflexite Tape - 50m Roll

Part Number: VC310/R



White Reflexite Tape - 50m Roll

Part Number: VC310/W



Green Reflexite Tape - 50m Roll

Part Number: VC312/G



Orafol Dayglow Tape - 50m Roll

VC310/Y



Orafol Tanker Segmented Tape - 50m Roll

VC103SS



Orafol Tautliner Segmented Tape - 50m Roll

VC103SL



Orafol Imagine Company Logo Tape - 50m Roll

AVAILABLE ON REQUEST



3M Amber Tape - 50m Roll

Part Number: 983-71



3M Red Tape - 50m Roll

Part Number: 983-72



3M White Tape - 50m Roll

Part Number: 983-10



3M Yellow / Green - 50 m Roll

Part Number: 983-23



3M Diamond Grade Fluorescent Yellow - 100mm - 45.72m Roll

Part Number: 983-71



30 x 60mm Red
Part Number: 2770-30R

30 x 60mm Amber
Part Number: 2770-30A

30 x 60mm Clear
Part Number: 2770-30C



50mm Red
Part Number: 2768R

50mm Amber
Part Number: 2768A

50mm Clear
Part Number: 2768C



40 x 90mm Red
Part Number: 2770R

40 x 90mm Amber
Part Number: 2770A

40 x 90mm Clear
Part Number: 2770C



76mm Red
Part Number: 2758R

76mm Amber
Part Number: 2758A

76mm Clear
Part Number: 2758C



1200 SABS Prismatic Chevron Board
Part Number: 1200E

1700 SABS Prismatic Chevron Board
Part Number: 1700PMC

1800 SABS Prismatic Chevron Board
Part Number: 1800PMC



1220 SABS Prismatic Stick-on Chevron
Part Number: 1220SO

1550 SABS Prismatic Stick-on Chevron
Part Number: 1550SO

1700 SABS Prismatic Stick-on Chevron
Part Number: 1700SO

1800 SABS Prismatic Stick-on Chevron
Part Number: 1800SO

1950 SABS Prismatic Stick-on Chevron
Part Number: 1950SO



Red Emergency Triangle With Carry Case
Part Number: RT107
Alt Part Number: WT005



Red Triangle Reflector
Part Number: TS-02R

Amber Triangle Reflector
Part Number: TS-02Y

LYNX ROAD STUDS



Lynx XTS
- White / White - White Case



Lynx XTS
- Red / White - White Case



Lynx XTS
- Red / Red - Red Case



Lynx XTS
- Red / Amber - Yellow Case



Globemarker
- Various Colour Combinations Available



Lynx Ministar Temp Stud
- Yellow Case
- Amber Glass Reflectives



Ferrow Lynx A200
- All Colour Combinations Available
- Galvanised Cast Iron



Lynx Aluminium
- All Colour Combinations Available

Industrilas
One Philosophy. Many solutions.

= CLAMPING RANGE



C/R = 1 - 2mm

Pinchweld - Small

Part Number: A1013



C/R = 1 - 2.5mm

Pinchweld - Medium

Part Number: A1023/2



C/R = 1 - 2.5mm

Boot Seal - Butyl

Part Number: A2516/2



Black & White Sealing Profile - With Butyl

Part Number: A4636-BU



C/R = 1 - 4mm

Large Door Seal

Part Number: 426009



C/R = 1 - 2.5mm

Large Door Seal - Butyl

Part Number: A4692-BU





Door Seal Rubber

Part Number: PR3006



Boot Seal Rubber

Part Number: PR14



Bus Door Seal

Part Number: D1402



Fenderweld

Part Number: 171



Pinchweld Rubber - Medium
Part Number: PR118



Pinchweld Rubber - Large
Part Number: 1002



"U" Channel Rubber
Part Number: 90108



"U" Channel Rubber
Part Number: D84



"U" Channel Rubber
Part Number: D362



Small "D" Rubber
Part Number: XE1116



Medium "D" Rubber
Part Number: D231



Large "D" Rubber
Part Number: XE1100



Medium "e" Sponge
Part Number: XE1433



Large "e" Sponge
Part Number: XE1433L



Fish Tail Sponge
Part Number: 4132



J-Rubber
Part Number: J197



J-Rubber
Part Number: J197L



J-Rubber
Part Number: J198



J-Rubber
Part Number: J199



TRIPLE SEAL
Part Number: 95243



Fender Mould Rubber
Part Number: 91753



Claw Type Weather Strip Rubber
Part Number: 95488



Square Type Weather Strip Rubber
Part Number: 93585



Ball Type Weather Strip Rubber
Part Number: 92823



Ball Type 2 Weather Strip Rubber
Part Number: 95146



Glazing Rubber - 1.5 / 4 mm
Part Number: 879/880
Alt. Part Number: PR233



Glazing Rubber - 1.5 / 4 mm
Part Number: 90915



Glazing Rubber - 4 / 2 mm
Part Number: 91747



Glazing Rubber - 5 / 3 mm
Part Number: D40



Glazing Rubber - 6 / 3 mm
Part Number: D41



Glazing Rubber - 6 / 4 mm
Part Number: 1279/880
Alt. Part Number: PR2207



Glazing Rubber - 6 / 6 mm
Part Number: 90037



Glazing Rubber - 2 / 4 mm
Part Number: 90874



Glazing Rubber - 8 / 7 mm
Part Number: 91611



Glazing Rubber - 4 / 3 mm
Part Number: 92264



38mm Bus Type
Part Number: D194



Bus Type
Part Number: D1089WD



S Glazing Rubber
Part Number: 91702
Alt. Part Number: PR243



Glazing Tool
Part Number: 3217



Glazing Tool Needle
Part Number: 3218

RUBBER MOUNT BRACKETS



Mini Clamp
- 16 to 32mm.
- Max Load 11Kg

Part Number: 409MC



Go Between Clamp
- 44 to 73mm
- Max Load 22Kg

Part Number: 409GB



Original Clamp
- 25 to 57mm
- Max Load 11Kg

Part Number: 409OC



Nozzle Clamp
- 70 to 83mm
- Max Load 11Kg

Part Number: 409NC



Tie Down Belt & Mounting
- 965mm x 38mm x 6mm

Part Number: 409TD



Super Clamp
- 64 to 240mm
- Max Load 23Kg

Part Number: 409SC



Long Arm Clamp
- 13 to 114mm
- Max Load 23Kg

Part Number: 409LA



Weapon Clamp Brackets
- 40 to 83mm
- Max Load 45Kg

Part Number: 409WC



Clamp Set
- Up to 381mm
- Max Load 58Kg

Part Number: 409CS



Rail Bar Mount Adaptor

Part Number: 409RB



Self Adhesive Sponge Rubber

3mm x 10mm	6mm x 12mm	10mm x 15mm
3mm x 12mm	6mm x 20mm	10mm x 20mm
3mm x 15mm	6mm x 25mm	10mm x 25mm
3mm x 20mm	6mm x 30mm	10mm x 30mm
3mm x 25mm	6mm x 40mm	10mm x 40mm
3mm x 40mm	6mm x 50mm	10mm x 100mm

12mm x 20mm
12mm x 25mm
12mm x 30mm
12mm x 40mm
12mm x 50mm

25mm x 50mm



3mm x 1200mm Insertion Rubber

Part Number: 3593

4.5mm x 1200mm Insertion Rubber

Part Number: 3594



Double Roller Buffer - Base 182 x 116mm

Part Number: RB005



Single Roller Buffer - Base 96 x 116mm

Part Number: RB0027



75mm Bumper Stop - Hard Rubber

Part Number: 700005



50mm Bumper Stop - Hard Rubber

Part Number: 4040CH



80mm Bumper Stop - Hard Rubber

Part Number: 4040-80





Large D Fender Rubber
- W: 110mm
H: 190mm

Part Number: MDF000



Large Rubber Buffer - 360L x 115H x 100W

Part Number: 700000

Small Rubber Buffer - 200L x 80H x 80W

Part Number: 700002





3 Step Pull Out Ladder

Part Number: 3SL



Bus Step

Part Number: 709130AA



Basic Black Static Seat

Part Number: 704



Plastic Open Ring Cup Holder

Part Number: H212



240mm Web Stalk

Part Number: 47270CH



360mm Web Stalk

Part Number: 47917CH



160mm Metal Stalk

Part Number: 46401CH



200mm Wire Stalk

Part Number: 45312CH



350 & 450mm Wire Stalk

Part Number: 45309/350CH

Part Number: 45309/450CH



1150mm Lap Belt

Part Number: 49929CH



Lap Belt - Aircraft Complete

Part Number: 033300060CH



3 Point Static Belt

Part Number: 49365CH



Mini Retractable Belt - Reel Only

Part Number: 49933CH



3-Point Inertia Belt - Reel Only

Part Number: 48459CH



4-Point Static Belt

Part Number: 03321CH



360mm DGO Web Stalk

Part Number: 47917 DGO CH



1150mm DGO Belt

Part Number: 49929 DGO CH



DGO Aircraft Lap Belt

Part Number: 03330 CH

SEALANTS.

LOCTITE®
TEROSON®



P/N	DESCRIPTION	SIZE
H9108W-C	TEROSON PU BOND & SEAL 9108F WHITE	280ml
H9108G-C	TEROSON PU BOND & SEAL 9108F GREY	280ml
H9208B-C	TEROSON PU BOND & SEAL 9208F BLACK	280ml



P/N	DESCRIPTION	SIZE
H9108W-S	TEROSON PU BOND & SEAL 9108F WHITE	600ml
H9108G-S	TEROSON PU BOND & SEAL 9108F GREY	600ml
H9208B-S	TEROSON PU BOND & SEAL 9208F BLACK	600ml

TEROSON PU 9108 / 9208 is a one component adhesive/sealant based on polyurethane, which cures by reaction with moisture to a soft elastic product. The skin formation and curing times are dependent on humidity and temperature. The cure through time also depends on joint depth. The substrates must be clean, dry, oil- and grease free. Depending on the surface it can be necessary to roughen the surface or to use a primer/ adhesion promoter to provide best adhesion

Benefits
- good adhesion to painted surfaces, many metals and plastics
- can be overpainted
- sag resistant
- high curing speed
- excellent elasticity

Application Area
- Body construction of cars, containers, caravans etc.
- Sealing and bonding of ventilation ducts, gutters and spouts etc.
- Sealing of sheet metal seams.
- For vibration reduction in all type of sheet metal assembly works
- Sealing against water, air, gas and dust.



P/N	DESCRIPTION	SIZE
H8590-S	TEROSON PU GLASS BONDING 8590 8 HOUR DAT	600ml
H5897-S6	TEROSON PU GLASS BONDING 8597 4 HOUR DAT	600ml
H8597-S	TEROSON PU GLASS BONDING 8597 4 HOUR DAT	400ml

DAT = DRIVE AWAY TIME

1K- Polyurethane adhesive free from PVC and solvents Direct Glazing 4 - 8 hours after the window has been bonded (Crash-Norm: FMVSS 208 / 212 (50 km/h, 100% frontal) The substrates must be clean, dry, oil- and grease free. Depending on the surface it can be necessary to roughen the surface or to use a primer/adhesion promoter to provide best adhesion

Benefits
- Very good sag resistance
- High cure rate
- High elastic and shear strength, even after aging
- Good adhesion to the remaining material
- Excellent adhesion to glass, glass with the ceramic coating, encapsulation and to painted surfaces, in connection with primer/activator
- High UV resistance in connection with primer/activator

Application Area
TEROSON PU 8597 is used for the bonding of front, rear and side screens/ windows to the body of motor-, utility-, special- and rail vehicles.

SEALANTS.

LOCTITE®
TEROSON®



P/N	DESCRIPTION	SIZE
H939W-C	TEROSON MS BOND & SEAL (UV Resistant) 939 WHITE	290ml
H939G-C	TEROSON MS BOND & SEAL (UV Resistant) 939 GREY	290ml
H939B-C	TEROSON MS BOND & SEAL (UV Resistant) 939 BLACK	290ml

P/N	DESCRIPTION	SIZE
H930B-C	TEROSON MS SEALANT (UV Resistant) 930 BLACK	310ml

P/N	DESCRIPTION	SIZE
H939W-S	TEROSON MS BOND & SEAL (UV Resistant) 939 WHITE	570ml
H939G-S	TEROSON MS BOND & SEAL (UV Resistant) 939 GREY	570ml
H939B-S	TEROSON MS BOND & SEAL (UV Resistant) 939 BLACK	570ml

P/N	DESCRIPTION	SIZE
H930W-S	TEROSON MS SEALANT (UV Resistant) 930 WHITE	570ml
H930G-S	TEROSON MS SEALANT (UV Resistant) 930 GREY	570ml



Teroson MS 939 is a gun-grade, one-component adhesive/sealant ased on silane modified polymers, which cures by reaction with moisture to an elastic product. The skin formation and curing times are dependent on humidity and temperature, and the curing time also depends on joint depth. The substrates must be clean, dry, oil- and grease free. Depending on the surface it can be necessary to roughen the surface or to use a primer/ adhesion promoter to provide best adhesion

Benefits
Teroson MS 939 is particularly sag-resistant leading to a high position tack after matching of the parts to be bonded. Teroson MS 939 is free of solvents, isocyanates, silicones and PVC. It demonstrates good adhesion to many substrates and is compatible with suitable paint systems. The sealant also demonstrates good UV resistance.

Application Area
Elastic bonding of metals and plastics, e.g. side paneling and bonding of the roof skin in the vehicle and caravan manufacture. elastic, interior and/or exterior seam and joint sealing in the following areas. vehicle body, caravan, railway carriage, container and general metal construction; electrical, plastics, air- conditioning and ventilation industries



P/N	DESCRIPTION	SIZE
H8517-PR	TEROSON PRIMER 8517 BOTTLE	250ml
H8550-CL	TEROSON CLEANER 8550 CLEANER	1L

SEALANTS.

SOUDAL



P/N	DESCRIPTION	SIZE
SD-40B	SOUDAL PU BOND & SEAL - BLACK	600ml
SD-40W	SOUDAL PU BOND & SEAL - WHITE	600ml
SD-40G	SOUDAL PU BOND & SEAL - GREY	600ml

P/N	DESCRIPTION	SIZE
SD-40CB	SOUDAL PU BOND & SEAL - BLACK	310ml
SD-40CW	SOUDAL PU BOND & SEAL - WHITE	310ml
SD-40CG	SOUDAL PU BOND & SEAL - GREY	310ml

Soudaflex 40FC is a high quality high modulus polyurethane sealant and adhesive with excellent mechanical performance for a wide range of sealing and bonding applications on concrete and metals.

Benefits
- High end strength
- Remains permanently flexible
- High resistance to many chemicals
- Very good adhesion on concrete, metals, fiberglass
- UV resistant

Application Area
Sealing and bonding applications in the building industry. Structural bonding in vibrating constructions. Sealing of concrete joints. Bonding of roof tiles and of metal parts.



P/N	DESCRIPTION	SIZE
SMB-B	SOUDAL MS MULTI BOND & SEAL - BLACK	600ml
SMB-W	SOUDAL MS MULTI BOND & SEAL - WHITE	600ml
SMB-G	SOUDAL MS MULTI BOND & SEAL - GREY	600ml

Multibond SMX35 is a high quality, single component, permanently flexible joint sealant. Perfect for internal & external applications. Based on SMX® Polymer Multibond SMX35 has a “Shore A” hardness of 35 and can accommodate movement of ± 20 %. Multibond SMX35 has excellent UV resistance, elasticity and can be sanded and painted with most types of paint. Once cured forms a strong, flexible, waterproof seal and bonds to the widest range of substrates.

Benefits
- Remains permanently elastic
- High flexibility
- Suitable for interior and exterior applications
- Multipurpose
- UV Resistant

Application Area
Sealing of expansion joints. Sealing of masonry and concrete joints. Sealing and bonding of a wide range of porous and non-porous substrates (metals, plastics …..).

SEALANTS.

SOUDAL



P/N	DESCRIPTION	SIZE
SD-SB	SOUDAL UNIVERSAL SILICONE - BLACK	270ml
SD-SW	SOUDAL UNIVERSAL SILICONE - WHITE	270ml
SD-SG	SOUDAL UNIVERSAL SILICONE - GREY	270ml
SD-SC	SOUDAL UNIVERSAL SILICONE - CLEAR	270ml

Soudal Universal Silicone is a high quality general purpose silicone for sealing and bonding applications on glass, many metals, tiles, bricks etc. This product is also suited for sanitary applications. Do not use on plastics. Cannot be painted.

Benefits
- UV resistant
- Temperature resistance -60°C until + 180°C
- Suitable for interior and exterior applications
- Suitable for sanitary applications
- Colourfast

Application Area
Sealing and bonding on many different surfaces, both porous and non-porous (bricks, glass, gypsum board, tiles, ceramic surfaces, …).

P/N	DESCRIPTION	SIZE
SD-PSW	SOUDAL PAINTABLE SEALANT - WHITE	270ml

Soudal Paintable Sealant is a solvent free acrylic based gap filler and sealant for low movement joints and for the filling of gaps and cracks. Soudal Paintable Sealant can be painted with all types of paint within a short time after application.

Benefits
- UV resistant
- Temperature resistance -20°C until +80°C once fully cured
- Can be painted with all types of paint
- Do not apply when rain or frost is imminent
- Do not expose packaging to frost

Application Area
Low movement joints, for example between window sills, skirtings and doors. Suitable for porous surfaces and for aluminium. Do not apply on natural stone.





Multi Purpose Cleaner - 8 in 1

Part Number: SD-MPC



Anti Spat Spray - Protection

Part Number: SD-ASS



Zinc Spray - Matt

Part Number: SD-ZS



Cleaner & Degreaser

Part Number: SD-CD



Soudal Contact Adhesive - 5lt

Part Number: GLUE-5LT



600ml Caulking Gun

Part Number: S600

SEALANTS.



P/N	DESCRIPTION	SIZE
SIKA-221B	SIKA PU BOND & SEAL - BLACK	310ml
SIKA-221W	SIKA PU BOND & SEAL - WHITE	310ml
SIKA-221G	SIKA PU BOND & SEAL - GREY	310ml

P/N	DESCRIPTION	SIZE
221B	SIKA PU BOND & SEAL - BLACK	600ml
221W	SIKA PU BOND & SEAL - WHITE	600ml
221G	SIKA PU BOND & SEAL - GREY	600ml

Sikaflex®-221 is a high-quality multi purpose non-sag 1-c polyurethane sealant that cures on exposure to atmospheric humidity to form a durable elastomer. For US: meets approvals ASTM C920 types and Federal Specifications TT-S-00230C. Sikaflex®-221 is manufactured in accordance with ISO 9001/14001, quality assurance system and with the responsible care program.

Benefits
- 1-C formulation
- Elastic
- Low odour
- Resistant to ageing and weathering exposure
- Non-corrosive
- Can be over-painted
- Can be sanded
- Bonds well to a wide variety of substrates
- NSF-approved for incidental food contact.

Application Area
Sikaflex®-221 bonds well to a wide variety of substrates and is suitable for making permanent elastic seals of high adhesive strength. Suitable substrate materials are timber, metals, metal primers and paint coatings (2-c systems), ceramic materials and plastics. Seek manufacturer's advice before using on transparent and pigmented materials that are prone to stress cracking.

P/N	DESCRIPTION	SIZE
SIKA552	SIKA HYBRID BOND & SEAL (UV RESISTANT) - WHITE	600ml

Sikaflex®-552 is a high-perfor-mance elastic gap-filling PUR-Hybrid adhesive based on the Sika Silane Terminated Polymer (STP) technology. Sikaflex-552 cures on exposure to atmospheric humidity to form a durable elastomer. Sikaflex®-552 is manufactured in accordance with ISO 9001 / 14001 quality assurance system and the responsible care program.

Benefits
- 1-C silane-terminated polymer based technology
- Ageing and weathering resistant
- Bonds well to a wide variety of substrates with practically no need for priming
- Capable of withstanding high dynamic stresses
- Can be over-painted
- Low odour
- Non-corrosive
- High electrical resistance
- Low VOC content and solvent-free
- Silicone- and PVC-free

Application Area
Sikaflex®-552 is suitable for struc-tural joints that will be subjected to dynamic stresses. Suitable sub-strate materials are metals, par-ticularly aluminium (including ano-dised components), sheet steel (including phosphated, chromated and zinc-plated components), ceramic materials and plastics. Seek manufacturer's advice before using on plastics that are prone to stress cracking. This product is suitable for pro-fessional experienced users only. Tests with actual substrates and conditions have to be performed to ensure adhesion and material compatibility.



SEALANTS.



P/N	DESCRIPTION	SIZE
SIKA-TAC 600ML	SIKA TAC-GO PU GLASS BOND - BLACK	600ml

SikaTack® Go! is a cold-applied windshield adhesive with a safe drive away time of 1 hour3 with seatbelts. It is easy to apply and exhibits excellent properties such as suitability for black-primerless application, compatibility with glass mounted aerials, is non-conductive and offers quality combined with safety. SikaTack® Go! is designed for glass replacement of direct glazed passenger cars. SikaTack® Go! is manufactured in accordance with ISO 9001 / 14001 quality assurance system and the responsible care program.

Benefits
- Optimized for installers working at warm and humid climatic conditions
- Improved gunability
- Black-primerless
- Short cut-off string
- Very good non-sag properties
- Easy and clean application
- Sika® All-in-One Modulus
- Suitable for cars with integral antennas
- Short Safe Drive-Away Time3 (according FMVSS 212/208 with double-side airbags, with seatbelts)
- No contact corrosion on aluminium
- Solvent-free

Application Area
SikaTack® Go! has been specially designed for the Automotive Glass Replacement business. It is ideal for mobile and in-house installations in areas with warm and humid climatic conditions. This product is to be used by professional experienced fitters only. If this product is used for other applications than Automotive Glass Replacement, test with current substrates and conditions have to be performed to ensure adhesion and material compatibility.

P/N	DESCRIPTION	SIZE
7710L100-A	SIKA FORCE PART A	25Kgs
7010C896-B	SIKA FORCE PART B	5Kgs

SikaForce-7710 L100 is the base part of a 2-component polyurethane adhesive used with SikaForce-7010 Hardener. This product is manufactured in accordance with ISO 9001 and ISO 14001 quality assurance systems.

Benefits
- Room temperature curing
- Solvent-free
- Long open time/short press time
- The open time is not affected by the humidity of the air
- Approved for bulkheads according to IMO Res. A.653(16)

Application Area
Bonding of metal, fibre cement, wood and glass fibre reinforced polyester to expanded and extruded polystyrene foam, polyurethane foam and mineral wool in the manufacturing of sandwich elements and other constructions.





206 Sika Primer (250ml)
Part Number: 1425



Sika Cleaner (1LT)
Part Number: 205



Red Poly SUZY Hose
- With Metal Anti-kink
Part Number: SH2PU



Yellow Poly SUZY Hose
- With Metal Anti-kink
Part Number: SH3PU



1/2" BSP Male
F&J Coupling
Part Number: MFJ



1/2" BSP Female
F&J Coupling
Part Number: FFJ



Short Check Valve
- 70mm
Part Number: 03.5231.03



Short Check Valve
- 116.75 mm
Part Number: 03.5231.05



7-CORE SUZI ASSY
(PU)
Part Number: SH4ASSY



7-CORE SUZI ASSY
(PU) - Extended
Part Number: SH4ASSYPHD



7 Pin Electrical Cable
with Nylon Moulded Plugs
Part Number: SH11



15 Pin Male to 7 Pin Male
Electrical Cable
Part Number: SH13



7 Pin Electrical Cable -
2x EBS Nylon Moulded Plugs
Part Number: SH14



15 Pin Electrical Cable -
2x EBS Nylon Moulded Plugs
Part Number: SH15



15 PIN FEMALE SOCKET WITH DUST COVER – SCREW TYPE
Part Number: SH6



RETAINER CATCH ASSY
Part Number: SH5



7 PIN MALE PLUG – SCREW TYPE
Part Number: SH7



15 PIN MALE PLUG – SCREW TYPE
Part Number: SH8



15 PIN MALE PLUG – CRIMP TYPE
Part Number: SH9



Metal Stowing Rack - For Suzi Cables
Part Number: SH10



Suspension Spring & Loop - For Suzi Cables
Part Number: SH12



ADD YOUR EMBOSSED OR PAD PRINTED LOGO TO ANY OF OUR TOOLBOXES

REQUIRE MOQ / ENQUIRE INSTORE FOR MORE INFO



Fire Extinguisher Box
- PU Buckle for Fast Release
- Lockable

Part Number: FB69



Rocket Fire Extinguisher Box
- Top Loader
- Lockable

Part Number: FBR6



Lockable + Handle Dust Covers
Roto Mould Magic Box 60
- 60 x 49 x 50mm

Part Number: MB60

Lockable + Handle Dust Covers
Roto Mould Magic Box 100
- 100 x 49 x 50mm

Part Number: MAGICBOX100

Lockable + Handle Dust Covers
Injection Mould Box 60
- 60 x 49 x 50mm

Part Number: NB60

Lockable + Handle Dust Covers
Injection Mould 80
- 80 x 49 x 50mm

Part Number: NB80





Water Tank with Soap Dispensor
- 25 Litres

Part Number: N25 (25 Litre)



101mm Air Diffuser

Part Number: P83-66211



Defrost Air Diffuser - 205 x 26mm

Part Number: P169-64017



50mm Reduction

Part Number: P129-65707



84mm Air Diffuser

Part Number: 340.11.100



Double Air Nozzle - 160 x 80mm

Part Number: NH164



Single Air Nozzle - 80mm

Part Number: NH163



245 x 98mm Rotating Vent Grey

Part Number: 21025

245 x 98mm Rotating Vent White

Part Number: 21025W



285 x 85mm Muller Vent

Part Number: MULLER



Alu Exterior Vent - 267 x 305mm

Part Number: 461A



Aluminium Undergrill

Part Number: 464



Rosette Vent - 164mm

Part Number: BD473



Large Top Vent - 215 x 165mm

Part Number: 623CH



Small Top Vent - 190 x 100

Part Number: 12003CH



Wheel Winch - With handle

Part Number: M6023C



Wheel Winch - Vertical Shaft

Part Number: M6023



Wheel Winch - Horizontal Shaft

Part Number: M6023D



Wheel Winch Handle Only

Part Number: M6023H



1400LBS Hand Winch

Part Number: 1400LBS
ALT PART NUMBER - 514



RHS Double Shaft Wiper Motor
- 24Volt, 30NM,
- 2 Speed with 90 Degree Wipe Angle

Part Number: P100179

LHS Double Shaft Wiper Motor
- 24Volt, 30NM,
- 2 Speed with 90 Degree Wipe Angle

Part Number: P100188



Dual Wiper Arm with Nozzle - 700mm

Part Number: B033210



700mm Wiper Blade

Part Number: S011203A



3L Washer Bottle

Part Number: MCN2034



2L Washer Bottle

Part Number: 5067-24



Stainless Steel Bus 22.5” Wheel Trims - Front Set

Part Number: W512F



Stainless Steel Bus 22.5” Wheel Trims - Rear Set

Part Number: W521R



Stainless Steel Sprinter 16” Wheel Trims - Set of 4

Part Number: W16L



Wheel Chock Block

Part Number: 72101



Wheel Chock Block LRG

Part Number: WC-2

Wheel Chock Bracket

Part Number: WC-3



McNaughtans Johannesburg

17 Vereeniging Road,
Alrode,
Alberton
Gauteng
South Africa

Tel: +27 (0) 11 334 1630
Email: jhbsales@mcnaughtan.co.za





McNaughtans Durban

12 Blair Road
Pinetown
3620
KwaZulu Natal
South Africa

Tel: +27 (0) 31 702 2244
Email: ptnsales@mcnaughtan.co.za





McNaughtans Cape Town

35 Fairbairn Street.
Parow East
Cape Town
Western Cape
South Africa

Tel: +27 (0) 21 939 0021
Email: cptsales@mcnaughtan.co.za





McNaughtans Empangeni

6 Lood Avenue
Empangeni
KwaZulu Natal
South Africa

Tel: +27 (0) 35 7870212
Email: empsales@mcnaughtan.co.za



NOTES








RAPID SPECIALISED EXTRICATION




EMERGENCY
RESCUE
HESSEQUA FIRE &



